



# Sika Competence in Wood Floor Installation



Innovation & Consistency | since 1910

# Wood Floor Installations with Sika System



## Speed: Fast and Reliable Application Improves Your Profitability

Fast setting and easy to apply, the elastic wood floor bonding adhesives from Sika help you to considerably speed up your work on site. With the use of **SikaBond®** elastic wood floor adhesives your workforce can be far more productive

**SikaBonds®** adhesives are fast curing (sandable in 12hrs), have a rapid initial tack free time and excellent application properties (easy to spread / stable trowel marks and non stringing). As the application continues you can soon walk on the previously installed areas of wood floor.

Very fast application, with the unique **SikaBond®** Dispensers.

The adhesive application time can be reduced by up to 80% and the overall wood installation time can be more than 65% faster using these SikaBond Dispensers!

This can give you an enormous advantage, with an edge over even your toughest competitors.

## Optimizing Adhesive Consumption



Perfectly uniform distribution with SikaBond Dispensers with the **SikaBond®** adhesives.

**Optimized consumption through uniform adhesive application.**  
The use of **SikaBond® Dispensers** reduces the adhesive consumption by using the right amount of material.

## Optimized Use of Adhesive with Packaging

With **SikaBond® Dispensers** all the adhesive is used, unlike other packaging.

The very low packaging volume and weight also keeps



## Sika Wood Floor Installations Over Underfloor Heating

Large areas – with no joints




Dinning rooms

Intensiv use in



Exhibition and Conference rooms

Aesthetic appearance around



Pools

Attractive appearance




Hot tubs



# s – Fast, Trouble-Free & Highly Profitable

ption



s ensures the maximum surface area is bonded

pplication:

e consumption to the optimum level – no wastage, only

with 100% Emptying of the

There is no waste residue lost, as there is with

any disposal and recycling cost at a minimum.

**Pail adhesive residues**

Not all of the adhesive can be used and there are higher recycling costs for pails.

**100% squeezed out SikaBond® sausage**

Minimal packaging waste = minimal recycling costs.

## Compatible Solutions for Typical 'Unexpected Problems' on Site

**A complete range of adhesives:**

Sika provides a complete portfolio of wood floor bonding adhesives. Systems available for use from internal installations with engineered wood, to externally installed tropical wood decks.



**Excessive moisture content in the subfloor:**

With the application of **Sika® Primer MB** as a moisture barrier, you can start the wood floor installation much sooner, without waiting until the subfloor is completely dry.



**Weak subfloors:**

**Sika® Primer MB** can also be used effectively for substrate strengthening.

**Difficult subfloor adhesion:**

For subfloors with poor adhesion properties, or for use as an adhesion promoter over old adhesive residues in refurbishment projects, **Sika® Primer MB** is once again the perfect solution.

**Uneven subfloors:**

The easy to apply, fast curing and low shrinkage **Sika® Level-200/300** levelling screed, can level out subfloor unevenness from 0.5mm up to 30mm and it is fully compatible with the rest of the Sika wood floor bonding range.



## Expanding Your Business

Sika's wood floor bonding and deck caulking systems enable you to install wood floors in many different areas, even outdoors and in wet rooms. Wood floors can now be installed everywhere: in health spas, gymnasiums, poolside areas, bars, restaurants and so forth.

With the use of **SikaBond®**, there are many *new areas with high profitable work waiting for you.*



From the ships deck ...



... to the pool surround

For the most recent information and details please go to: [www.sika.com](http://www.sika.com) or your countries Sika webpage

around



Seamless floors in



Restaurants

Acoustic installation in



Health spa's

Underfoot comfort for



Boutique shops

Durable installation in



Exercise gyms

# Sika Solutions for Wood Floor Bonding

## SikaBond® Dispensers



With **SikaBond®** Dispensers the application of the **SikaBond®** wood floor adhesives is very much faster. The application of the adhesive can be up to 10 times faster, with overall installation of the wood floor up to 4 times faster. Waste is reduced to a minimum. The adhesive application is very clean and done standing up.

## Sika® AcouBond® System for improved acoustics



The unique and patented Sika **AcouBond System** can improve both impact sound and the ambient sound on wood floors substantially. Impact sound is reduced up to minus 18db and the wooden boards are securely fixed to the subfloor. The **Sika® AcouBond®** system is therefore an ideal combination of a floating installation and a fully bonded wood floor installation.

## Durable and elastic full surface bonding increase possibilities



**SikaBond®** adhesives for elastic full surface bonding are very accommodating products. Almost every wood species can now be bonded. When Sika's full surface bonding adhesives are used, peripheral gaps between walls and floors can also be minimized; larger areas without expansion joints can also be realised.

## Exclusive appearance with Sika's wood caulking system



Sika's wood caulking system has its origins in the marine industry. Teak decks on boats and leisure cruisers are bonded and sealed with **SikaBonds®** and **Sikaflex®**. They have to withstand severe exposure conditions every day and remain good looking all of the time. This system makes it possible for wooden floors to be installed almost everywhere: Indoors and Outdoors, in wet rooms, around pools and hot tubs for example.

## Economic installations for less demanding requirements




The **SikaBond® Cordon / Beaded System** is simply the most ecological and economic system for less demanding projects. The high elasticity of the **SikaBond®** adhesive makes it possible to achieve an economic installation where limits on the possible wood floor types can also be accepted.

## Sika's subfloor pre-treatment systems



Subfloor treatment is another core competence of Sika. **Sika® Primer MB** is used for moisture barriers, substrate strengthening and improving adhesion on difficult substrates. **Sika® Level®** is used to level uneven subfloors. All of these products from the one supplier ensure full system compatibility.

## Also Available from Sika



Elastic Adhesives for Wood Floors  
Principles for Elastic Bonding



Sika® Primer MB  
Moisture Regulator and Primer for  
SikaBond® Wood Floor Bonding Systems



SikaBond® Dispenser 4000  
and SikaBond® 110 FC  
The Evolution in Wood Floor Bonding



Wood Floor Bonding System  
For indoor, outdoor, wet and underlayment



Full Surface Bonding System  
High Safety Adhesive  
Formulas for Wood Floor



Wood Caulking System  
For fast installation of  
wood floor joints



Subfloor Pre-treatment System  
A Solution  
for every case

## Sika Services AG

Business Unit Contractors  
Speckstrasse 22  
CH-8330 Pfäffikon  
Switzerland  
Phone +41 58 436 23 80  
Fax +41 58 436 23 77  
www.sika.com

Our most current General Sales Conditions shall apply. Please consult the Product Data Sheet prior to any use and processing.

