



FLOORING AND COATING Sikafloor® and Sikagard® COATING SYSTEMS WITH ETAG 022 APPROVAL FOR WET ROOMS

Sikafloor® and Sikagard® COATING SYSTEMS WITH ETAG 022 APPROVAL FOR WET ROOMS

ETAG stands for European Technical Approval Guidelines. And ETAG 022 is for "Watertight covering kits for wet room floors and/or walls".


In areas such as private bathrooms, bath rooms in health care facilities, showers and locker rooms in commercial buildings, sports and leisure facilities, the floors and walls have partial or even permanent contact with water, therefore an effective waterproofing solution is mandatory. ETAG 022 is an approval for "Watertight covering kits for wet room floors and/or walls".

In the test approval the whole flooring or wall coating system has to perform very severe test cycles to achieve the certificate. It guarantees for a working system including primer, sealing tape, liquid applied membrane and the final polyurethane and acrylic coatings or tiling.

Sika offers ETAG 022 certified coating systems for wall and floor. The waterproofing system build up in general consists of the Sika® SealTape F in combination with the liquid applied membrane Sikalastic®-220 W.



Together with the following layers of Polyurethane and Acrylic based coating systems, which are also waterproof themselves the whole build up assures 100% water tightness. Because of the flexibility and therefore crack bridging ability of the Sikalastic®-220 W and the Sikafloor®-330, what Sika provides here for this wet areas is an even more secure solution than what is required by ETAG 022.




The watertight barrier certified by ETAG

1. Sikafloor®-01/-02/-03 Primer
2. Sika® SealTape F
3. Sikalastic®-220 W
4. Sikalastic®-220 W
5. Sikafloor®-330 for floor
6. Sikagard® for wall

Note: Details of the products can be found on page 4



ETAG 022 APPROVED PRODUCTS











Sika® SealTape F

Why is it so important to use the Sika® SealTape F?

1. The new waterproofing tape is used to eliminate stress between the substrates and the tiles, and at the same time it ensures the tightness of the critical points such as pipe penetration and drains, corners, etc.
2. Besides, Sika® SealTape F complies with ETAG 022 in combination with the upcoming liquid applied membrane: Sikalastic®-220 W.



Sika® SealTape F RANGE

 <p>25 m / 120 mm</p>	 <p>50 m / 120 mm</p>	<p>Sealing tape (TPE) with a polypropylene non-woven fleece Sika® SealTape F Waterproofing tape in 25 m roll Sika® SealTape F Waterproofing tape in 50 m roll</p>
 <p>425 mm 425 mm</p>	 <p>120 mm 120 mm Ø = 14 mm</p>	<p>Sika® SealTape F Floor patch Sika® SealTape F Wall patch with Ø = 14 mm</p>
 <p>140 mm 140 mm</p>	 <p>140 mm 140 mm</p>	<p>Sika® SealTape F Inside corner Sika® SealTape F Outside corner</p>
 <p>20 mm</p>	 <p>20 mm</p>	<p>Sika® SealTape F Slope corner 20 mm left Sika® SealTape F Slope corner 20 mm right It is also available in 28 mm and 38 mm</p>

Sikalastic®-220 W

Sikalastic®-220 W – a ready to use, one component membrane

This membrane is used to prepare a waterproof bonded sealing and fulfills the requirements of ETAG 022, part 1 under tiles and Sikafloor® and Sikagard® coatings.

CHARACTERISTICS:

Dispersion based => No mixing required

Convenient application => Easy to apply by trowel & roller

Crack bridging => Material bridges cracks in the substrate up to 0.75 mm while maintaining its waterproofing features – for a layer thickness of 0.5 mm

Very low emissions => Taking care of the health

Resistant against ageing => Durable solution as it's ETAG 022 approved



ETAG 022 APPROVED SYSTEM BUILDUPS

WHY Sikafloor® FLOORING AND Sikagard® WALL COATINGS?

Watertight

ETAG 022 approved



Seamless

Providing hygienic and modern looking surfaces for private bath rooms, bath rooms in health care facilities, showers and locker rooms in commercial buildings, sports and leisure facilities.

Color options for design freedom

For the architect and owner the nearly unlimited color variations provide the freedom to design unique and appealing interior effects.

Easy to maintain


The Sikafloor® and Sikagard® coating systems built on resilient and durable products provide long term resistance against soaps and cleaning chemicals and therefore a sleek appearance over time.

Safety first


Also the user safety is crucial in wet areas. With the possibility to customize the slip resistance of the top coat according to the specific needs Sikafloor® coating systems help to prevent slip and trip accidents.




ETAG 022 APPROVED COATING SYSTEMS FOR WALL AND FLOOR



Sikagard® WALL COATINGS ON EXISTING TILES



GLOBAL BUT LOCAL PARTNERSHIP



FOR MORE INFORMATION:



WE ARE SIKA

Sika is a specialty chemicals company with a leading position in the development and production of systems and products for bonding, sealing, damping, reinforcing and protecting in the building sector and the motor vehicle industry. Sika's product lines feature concrete admixtures, mortars, sealants and adhesives, structural strengthening systems, industrial flooring as well as roofing and waterproofing systems.

Our most current General Sales Conditions shall apply.
Please consult the Data Sheet prior to any use and processing.



SIKA SERVICES AG
Tueffenwies 16
CH-8048 Zurich
Switzerland

Contact
Phone +41 58 436 40 40
Fax +41 58 436 41 50
www.sika.com

BUILDING TRUST

