

Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	SikaGrind T1820
1.2 Relevant identified uses of the Product use		ubstance or mixture and uses advised against Concrete admixtures
1.3 Details of the supplier of the	saf	ety data sheet
Company name of supplier	:	Sika South Africa (Pty) Ltd 9 Hocking Place Westmead 3608 Pinetown South Africa
Telephone Telefax E-mail address of person responsible for the SDS	:	+27 (0)31 792 6500 +27 (0)31 700 1760 headoffice@za.sika.com

1.4 Emergency telephone number

+27 82 490 9409

SECTION 2: Hazards identification

Type of product

: Mixture

2.1 Classification of the substance or mixture

Classification (SANS 10234) Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Signal word

Hazard pictograms

Hazard statements



Causes serious eye irritation.

Precautionary statements

: Prevention: P264 P280

Response:

H319

Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.



Revision Date 07.03.2020	Version 1.0)	Print Date 07.03.2020
	t I r	er for several minute enses, if present an insing.	nse cautiously with wa- es. Remove contact d easy to do. Continue sts: Get medical advice/
		ittention.	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (SANS 10234)	Concentration (% w/w)
1,1',1'-nitrilotripropan-2-ol	122-20-3 204-528-4 01-2119475482-34- XXXX	Eye Dam.1; H318	>= 25 - < 50
2,2'-iminodiethanol	111-42-2 203-868-0 01-2119488930-28- XXXX	Acute Tox.4; H302 Skin Irrit.2; H315 Eye Dam.1; H318 STOT RE2; H373 Aquatic Chronic3; H412	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020
In case of eye contact	Immediately flush eye(s) with plea Remove contact lenses. Keep eye wide open while rinsing If eye irritation persists, consult a	J.
If swallowed	Do not induce vomiting without m Rinse mouth with water. Do not give milk or alcoholic beve Never give anything by mouth to	erages.
4.2 Most important symptoms and	effects, both acute and delayed	
	Excessive lachrymation See Section 11 for more detailed and symptoms.	information on health effects
Risks	irritant effects Causes serious eye irritation.	
4.3 Indication of any immediate me	dical attention and special treatn	nent needed
Treatment	Treat symptomatically.	
SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media	Use extinguishing measures that cumstances and the surrounding	
5.2 Special hazards arising from th	e substance or mixture	
	No hazardous combustion produc	cts are known

5.3 Advice for firefighters

Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
for menginers	

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use perso	onal protective equipment.
	Deny acc	ess to unprotected persons.



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	,
Advice on safe handling Advice on protection against fire and explosion	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	including any incompatibilities
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: Consult most current local Product Data Sheet prior to any use.



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	ent	
Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available



Revision Date 07.03.2020		Version 1.0	Print Date 07.03.2020
Flash point	:	Not applicable	
Autoignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Lower explosion limit (Vol-%)	:	No data available	
Upper explosion limit (Vol-%)	:	No data available	
Flammability	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
рН	:	11	
Melting point/range / Freez-	:	No data available	
ing point Boiling point/boiling range	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	1,046 g/cm3 at 20 °C	
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	> 7 mm2/s at 40 °C	
Relative vapour density	:	No data available	
Evaporation rate	:	No data available	
9.2 Other information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020
10.2 Chemical stability		
The product is chemically stal	ble.	
10.3 Possibility of hazardous rea	actions	
Hazardous reactions	: Stable under recommended sto	orage conditions.
10.4 Conditions to avoid Conditions to avoid	: No data available	
10.5 Incompatible materials Materials to avoid	: No data available	
10.6 Hazardous decomposition Hazardous decomposition products	products : No decomposition if stored and	applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,1',1'-nitrilotripropan-2-ol: Acute oral toxicity	: LD50 Oral (Rat): ca. 4.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg
2,2'-iminodiethanol: Acute oral toxicity	: Acute toxicity estimate: 500 mg/kg Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020

Carcinogenicity

Not classified based on available information.

Reproductive toxicity Not classified based on available information.

STOT - single exposure Not classified based on available information.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,1',1'-nitrilotripropan-2-ol:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): > 500 mg/l Exposure time: 48 h	
2,2'-iminodiethanol:		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 55 m Exposure time: 48 h	g/l

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020
12.6 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for the	nis product.
SECTION 13: Disposal consid	derations	
13.1 Waste treatment methods		
Product	: The generation of waste should wherever possible.	

	wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable



Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020
Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)			Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			2,2',2"-nitrilotriethanol
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
REACH - Candidate List of Sub Concern for Authorisation (Artic	REACH - Candidate List of Substances of Very High		
REACH - List of substances subject to authorisation (Annex XIV)			(=> 0.1 %). Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants		:	Not applicable
REACH Information: All substances contai - registered by our up - registered by us, an - excluded from the re- - exempted from the re-		strea /or gula	im suppliers, and/or tion, and/or

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,25 %, 55,65 g/l VOC content excluding water

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SAFETY DATA SHEET According to SANS 10234, SANS 10228, SANS 11014 and Hazardous Chemical Substance Regs. (GNR. 1179 of 25 August 1995)



SikaGrind T1820

Revision Date 07.03.2020 Version 1.0 Print Date 07.03.2020	Revision Date 07.03.2020	Version 1.0	Print Date 07.03.2020
------------------------------------------------------------	--------------------------	-------------	-----------------------

SECTION 16: Other information

Full text of H-Statements			
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H373	May cause damage to organs through prolonged or repeated		
	exposure.		
H412	Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations			
Acute Tox.	Acute toxicity		
Aquatic Chronic	Long-term (chronic) aquatic hazard		
Eye Dam.	Serious eye damage		
Skin Irrit.	Skin irritation		
STOT RE	Specific target organ toxicity - repeated exposure		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	Chemical Abstracts Service		
DNEL	Derived no-effect level		
EC50	Half maximal effective concentration		
GHS	Half maximal effective concentration		
IATA	International Air Transport Association		
IMDG	International Maritime Code for Dangerous Goods		
LD50	Median lethal dosis (the amount of a material, given all at		
	once, which causes the death of 50% (one half) of a group of test animals)		
LC50	Median lethal concentration (concentrations of the chemical in		
	air that kills 50% of the test animals during the observation period)		
MARPOL	International Convention for the Prevention of Pollution from		
	Ships, 1973 as modified by the Protocol of 1978		
OEL	Occupational Exposure Limit		
	Persistent, bioaccumulative and toxic		
PNEC	Predicted no effect concentration		
REACH	Regulation (EC) No 1907/2006 of the European Parliament		
	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-		
	cals (REACH), establishing a European Chemicals Agency		
SVHC	Substances of Very High Concern		
	Very persistent and very bioaccumulative		
	· ·		

Classification of the mixture:

ixture:Classification procedure:H319Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Eye Irrit. 2

SAFETY DATA SHEET According to SANS 10234, SANS 10228, SANS 11014 and Hazardous Chemical Substance Regs. (GNR. 1179 of 25 August 1995)



SikaGrind T1820

Revision Date 07.03.2020

Version 1.0

Print Date 07.03.2020

ZA / EN