

Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
------------------------	--

Trade name

: SikaGrind 160 MY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Grinding aid

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika South Africa (Pty) Ltd
	9 Hocking Place
	Westmead
	3608 Pinetown
	South Africa
Telephone	: +27 (0)31 792 6500
Telefax	: +27 (0)31 700 1760
E-mail address of person	: headoffice@za.sika.com
responsible for the SDS	

1.4 Emergency telephone number

+27 82 490 9409

SECTION 2: Hazards identification

Type of product

: Mixture

2.1 Classification of the substance or mixture

Classification (SANS 10234)

Eye irritation, Category 2

2.2 Label elements

Signal word

Labelling (SANS 10234)

• •	
Hazard pictograms	:



H319

P264

P280

Causes serious eye irritation.

Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection.

H319: Causes serious eye irritation.

Hazard statements

Precautionary statements



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019
	Deenenee	

Response:

P305 + P351 + F	P338 IF IN EYES: Rinse cautiously with wa-
	ter for several minutes. Remove contact
	lenses, if present and easy to do. Continue
P337 + P313	rinsing. If eye irritation persists: Get medical advice/
	attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (SANS 10234)	Concentration (% w/w)
1,1',1"-nitrilotripropan-2-ol	122-20-3 204-528-4 01-2119475482-34- XXXX	Eye Dam.1; H318	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019
If swallowed	: Do not induce vomiting with Rinse mouth with water.	
	Do not give milk or alcoholi Never give anything by mo	ic beverages. uth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and dela	ayed
Symptoms	: Excessive lachrymation See Section 11 for more de and symptoms.	etailed information on health effects
Risks	: irritant effects Causes serious eye irritatio	on.
4.3 Indication of any immediat	e medical attention and special	treatment needed
4.3 Indication of any immediat Treatment	e medical attention and special : Treat symptomatically.	treatment needed
Treatment	: Treat symptomatically.	treatment needed
Treatment SECTION 5: Firefighting me	: Treat symptomatically.	treatment needed
Treatment SECTION 5: Firefighting me	: Treat symptomatically. asures a : In case of fire, use water/wa	treatment needed ater spray/water jet/carbon diox- stant foam/chemical powder for
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi	: Treat symptomatically. asures a : In case of fire, use water/waide/sand/foam/alcohol resisertinction.	ater spray/water jet/carbon diox-
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro	: Treat symptomatically. asures a : In case of fire, use water/waide/sand/foam/alcohol resisertinction.	ater spray/water jet/carbon diox- stant foam/chemical powder for
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion proc	 Treat symptomatically. asures a : In case of fire, use water/waide/sand/foam/alcohol resise extinction. m the substance or mixture 	ater spray/water jet/carbon diox- stant foam/chemical powder for
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion prod ucts 5.3 Advice for firefighters	: Treat symptomatically.	ater spray/water jet/carbon diox- stant foam/chemical powder for

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Deny access to unprotected persons.



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019

6.2 Environmental precautions

Environmental precautions	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, ir	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Other data	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date 12.04.2019Version 1.0Print	Date 12.04.2019
--	-----------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipmen	t
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

•	Appearance		Aqueous solution
	Colour	:	brown
	Odour	:	characteristic



Revision Date 12.04.2019		Version 1.0	Print Date 12.04.2019
Odour Threshold	:	No data available	
Flash point	:	No data available	
Autoignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Lower explosion limit (Vol-%)	:	No data available	
Upper explosion limit (Vol-%)	:	No data available	
Flammability	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
рН	:	ca. 10,2 at 20 °C	
Melting point/range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca.1,15 g/cm3 at 20 °C	
Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	No data available	
Relative vapour density	:	No data available	
Evaporation rate	:	No data available	

9.2 Other information

No data available



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid	: No data available
--------------------	---------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,1',1"-nitrilotripropan-2-ol:		
Acute oral toxicity	:	LD50 Oral (Rat): ca. 4.000 mg/kg

Acute dermal toxicity	:	LD50 Dermal (Rabbit): >	5.000 mg/kg
-----------------------	---	-------------------------	-------------

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure Not classified based on available information.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,1',1"-nitrilotripropan-2-ol:

Toxicity to daphnia and other	:	EC50 (Daphnia (water flea)): > 500 mg/l
aquatic invertebrates		Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SAFETY DATA SHEET According to SANS 10234, SANS 10228, SANS 11014 and Hazardous Chemical Substance Regs. (GNR. 1179 of 25 August 1995)



SikaGrind 160 MY

Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : 2,2',2''-nitrilotriethanol



Revision Date 12.04.2019	Version 1.0		Print Date 12.04.2019
Schedules of Toxic Chemicals and F	Precursors		
REACH - Candidate List of Substand Concern for Authorisation (Article 59		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject (Annex XIV)	to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 on si plete the ozone layer	ubstances that de-	:	Not applicable
Regulation (EC) No 850/2004 on pe lutants	rsistent organic pol-	:	Not applicable
Regulation (EC) No 649/2012 of the ment and the Council concerning the of dangerous chemicals	•	:	Not applicable
REACH - Restrictions on the manufa the market and use of certain dange preparations and articles (Annex XV	rous substances,	:	Not applicable
Seveso III: Directive 2012/18/EU of	the European Parliam	nent	and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H318	:	Causes serious eye damage.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Half maximal effective concentration		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		



Revision Date 12.04.2019	Version 1.0	Print Date 12.04.2019
MARPOL OEL PBT	 International Convention for th Ships, 1973 as modified by th Occupational Exposure Limit Persistent, bioaccumulative and 	e Protocol of 1978 nd toxic
PNEC REACH		6 of the European Parliament mber 2006 concerning the Reg- ation and Restriction of Chemi-
SVHC vPvB	Substances of Very High CondVery persistent and very bioaction	
Classification of the mixtu	ire: Clas	sification procedure:
Eye Irrit. 2	H319 Calcu	ulation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

ZA / EN