

Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop 615 HB

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika South Africa (Pty) Ltd 9 Hocking Place Westmead 3608 Pinetown South Africa
Telephone	: +27 (0)31 792 6500
Telefax	: +27 (0)31 700 1760
E-mail address of person responsible for the SDS	: headoffice@za.sika.com

1.4 Emergency telephone number

+27 82 490 9409

SECTION 2: Hazards identification

Type of product

: Mixture

2.1 Classification of the substance or mixture

Classification (SANS 10234)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system

2.2 Label elements

Labelling	(SANS	10234)
Labening		10204)

Hazard pictograms	

H315: Causes skin irritation. H318: Causes serious eye damage.

H335: May cause respiratory irritation.

Hazard pictograms		
Signal word	: Danger	•
Hazard statements	: H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

.



Revision Date 01.09.2020	Versior	า 1.0	Print Date 01.09.2020
Precautionary statements	: Prevention:		
	P261	Avoid breathing dust pours/ spray.	t/ fume/ gas/ mist/ va-
	P264	Wash skin thorough	ly after handling.
	P280		ves/ eye protection/ face
	Response:	•	
	P304 + P340 + F	•	emove person to fresh table for breathing. Call // doctor if you feel un-
	P305 + P351 + F	P338 + P310 IF IN E with water for severa contact lenses, if pre Continue rinsing. Im POISON CENTER/	al minutes. Remove esent and easy to do. mediately call a
	Storage: P403 + P233	Store in a well-ventil tainer tightly closed.	ated place. Keep con-

Hazardous components which must be listed on the label: Cement (chromium reduced)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(SANS 10234)	(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit.2; H315	>= 25 - < 40
	266-043-4	Eye Dam.1; H318	
		STOT SE3; H335	
Substances with a workplace exposure	e limit :		ſ
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
Fumes, silica	69012-64-2		>= 2,5 - < 5
	273-761-1		
	01-2119486866-17-		
	XXXX		

For explanation of abbreviations see section 16.



Sika MonoTop 615 HB

Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020
Revision Date 01.09.2020		Fiiii Dale 01.09.2020

SECTION 4: First aid measures

4.1 Description of first aid measure	es
General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
4.3 Indication of any immediate me	edical attention and special treatment needed

: Treat symptomatically.

Treatment



Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water ide/sand/foam/alcohol resistant extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion prod	ucts are known
5.3 Advice for firefighters		
•	: In the event of fire, wear self-co	ntained breathing apparatus.
	: Standard procedure for chemic	- 1 6

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Deny access to unprotected persons. 6.2 Environmental precautions Environmental precautions Try to prevent the material from entering drains or water courses. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Pick up and arrange disposal without creating dust.
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust.
		Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.



Sika MonoTop 615 HB

Revision Date 01.09.2020		Version 1.0	Print Date 01.09.2020
		For personal protection see section a Smoking, eating and drinking should plication area. Follow standard hygiene measures of products	be prohibited in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire	protection.
Hygiene measures	:	Handle in accordance with good indupractice. When using do not eat or d smoke. Wash hands before breaks a	rink. When using do not
7.2 Conditions for safe storage, in	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store in original container. Keep in a Observe label precautions. Store in a regulations.	
Further information on stor- age stability	:	No decomposition if stored and appli	ed as directed.
7.3 Specific end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
Componente	0/10/110.	of exposure)	Control parametero	Duolo			
Quartz (SiO2)	14808-60-7	TWA OEL-CL	0.1 mg/m2	ZA OEL			
Quartz (SIO2)	14000-00-7		0,1 mg/m3	ZA OEL			
		(Respirable dust)					
	Further inform	Further information: Control Limit					
		TWA OEL-RL	0,1 mg/m3	ZA OEL			
		(Respirable dust)	_				
	Further information: Recommended Limit						
Cement (chromium	65997-15-1	TWA OEL-RL	5 mg/m3	ZA OEL			
reduced)		(Respirable dust)	-				
	Further inform	Further information: Recommended Limit					
		TWA OEL-RL	10 mg/m3	ZA OEL			
		(inhalable dust)					
Fumes, silica	69012-64-2	TWA OEL-RL	3 mg/m3	ZA OEL			
		(Respirable dust)					
	Further information: Recommended Limit						
		TWA OEL-RL	6 mg/m3	ZA OEL			
		(inhalable dust)	-				

8.2 Exposure controls

Personal protective equipment



Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020
Eye protection	Safety glasses with side-shields c Eye wash bottle with pure water	onforming to EN166
Hand protection	: Chemical-resistant, impervious glo proved standard must be worn at chemical products. Reference nur facturer specifications.	all times when handling
	Recommended: Butyl rubber/nitril Contaminated gloves should be re	
Skin and body protection	Protective clothing (e.g. Safety sh long-sleeved working clothing, lon and protective boots are additiona and stirring work.	g trousers). Rubber aprons
Respiratory protection	: Respirator selection must be base exposure levels, the hazards of th ing limits of the selected respirato Ensure adequate ventilation. This exhaust extraction or by general v ods for determining inhalation exp ticular to the mixing / stirring area. to keep the concentrations under limits then respiration protection m	e product and the safe work- r. can be achieved by local rentilation. (EN 689 - Meth- osure). This applies in par- In case this is not sufficent the occupational exposure

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	solid grey odourless No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available



Sika MonoTop 615 HB

Revision Date 01.09.2020		Version 1.0	Print Date 01.09.2020
flammability limit			
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	No data available	
Bulk density	:	1.700 kg/m3	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n-	:	No data available	
octanol/water Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity			
Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	Not applicable	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
9.2 Other information			
No data available			
SECTION 10: Stability and rea	ictiv	vity	
10.1 Reactivity		lor conditions of normal upo	
No dangerous reaction known	unc	ier conditions of normal use.	
10.2 Chemical stability The product is chemically stab	ole.		
10.3 Possibility of hazardous rea		ns	
Hazardous reactions		No hazards to be specially mentioned	
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	



Sika MonoTop 615 HB

Revision Date 01.09.2020

Version 1.0

Print Date 01.09.2020

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available



Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and vPvB as	ssessment	
Product:		
Assessment	: This substance/mixture contains to be either persistent, bioaccur very persistent and very bioacc 0.1% or higher.	mulative and toxic (PBT), or
12.6 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for the	nis product.

	•
Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good



Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020
14.4 Packing group		
Not regulated as a dangerous goo	d	
14.5 Environmental hazards		
Not regulated as a dangerous goo	d	
14.6 Special precautions for user		
Not applicable		
14.7 Transport in bulk according to A	Annex II of Marpol and the IB	BC Code
Not applicable for product as supp	lied.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the man the market and use of certain dan preparations and articles (Annex 2	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Cement (chromium reduced) (Number on list 47)
International Chemical Weapons Schedules of Toxic Chemicals an REACH - Candidate List of Subst Concern for Authorisation (Article REACH - List of substances subje (Annex XIV) Regulation (EC) No 1005/2009 or plete the ozone layer Regulation (EC) No 850/2004 on lutants Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals REACH Information:	d Precursors ances of Very High 59). ect to authorisation a substances that de- persistent organic pol- he European Parlia-	trea /or gula	m suppliers, and/or tion, and/or
Seveso III: Directive 2012/18/EU major-accident hazards involving		nent	and of the Council on the control of
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ix fc	or volatile organic compounds



Revision Date 01.09.2020	Version 1.0	Print Date 01.09.2020

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315		Causes skin irritation.
H318	:	Causes skill inflation. Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	onc	
	0115	
Eye Dam.	:	Serious eye damage
Skin Irrit.		Skin irritation
STOT SE ADR		Specific target organ toxicity - single exposure European Agreement concerning the International Carriage of
ADR	•	Dangerous Goods by Road
CAS		Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS		Globally Harmonized System
IATA		International Air Transport Association
IMDG		International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC		Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB		Very persistent and very bioaccumulative
	•	
Classification of the mixture	e:	Classification procedure:
Skin Irrit. 2	H3	15 Calculation method
Eye Dam. 1	H3	18 Calculation method
STOT SE 3	H3	
	113	



Sika MonoTop 615 HB

Revision Date 01.09.2020 V	ersion 1.0	Print Date 01.09.2020

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

ZA / EN