



# CONTENTS

## Waterproofing

<b>Sikalastic®-560</b> .....	6
Premium elastic waterproofing solution	
<b>Sika RainTite® Kit</b> .....	7
Acrylic waterproofing system	
<b>Sealoflex® Professional</b> .....	8
Acrylic fibre reinforced waterproofer	
<b>Cemflex®</b> .....	9
Submersible waterproofer and bonding agent	
<b>Sikalite®</b> .....	10
Powdered waterproofing admixture for mortar	
<b>Sika® BlackSeal Lastic</b> .....	11
Rubberised bitumen waterproofing coating	
<b>Sika® BlackSeal Brick</b> .....	12
Waterproof barrier coating	
<b>Sika® BlackSeal Primer</b> .....	13
Primer for bituminous coating	
<b>Sika® BlackSeal Silvercoat</b> .....	14
Aluminium bitumen coating	
<b>Sika® Index Vis</b> .....	15
Bituminous torch-on waterproofing membrane	

## Sealing and Bonding

<b>Sikaflex®-11 FC Purform</b> .....	16
Elastic joint sealant and multipurpose adhesive	
<b>Sikaflex®-112 Crystal Clear</b> .....	17
Transparent adhesive and sealant	
<b>Sikaflex®-113 Rapid Cure</b> .....	18
Fast curing adhesive and sealant	
<b>Sikabond®-115 Strong Fix</b> .....	19
Interior decorative adhesive	
<b>Sikaflex®-118 Extreme Grab</b> .....	20
High grab adhesive	
<b>Sikaflex® Construction</b> .....	21
Flexible sealant for concrete and masonry facades	
<b>Sika Boom®</b> .....	22
High expanding foam	
<b>Sikasil® Pool</b> .....	23
Silicone sealant for swimming pools and permanently wet areas	
<b>Sanisil®</b> .....	24
Silicone sealant for sanitary applications	
<b>Sikacryl® S</b> .....	25
Acrylic sealant for painters	
<b>Sika® Multiseal-ZA</b> .....	26
Bituminous sealing tape	
<b>Sika® Scraper &amp; Smoother</b> .....	27
Scraper and smoother for joint seals	

## Grouting

<b>SikaGrout®-212</b> .....	28
High strength cementitious grout	

Please consult the most current local product data sheet prior to any use

## Structural Strengthening

<b>Sika AnchorFix® S</b> .....	29
Anchoring adhesive	
<b>Sikadur® AP</b> .....	30
All-purpose epoxy adhesive paste	
<b>Sikadur®-32 N</b> .....	31
Wet to dry epoxy resin bonding agent	

## Repair and Protection

<b>Sikagard®-703 W</b> .....	32
Rain and water repellent	
<b>Sikagard®-905 W</b> .....	33
Damp-proofing and surface hardener	
<b>SikaLatex®</b> .....	34
Water resistant bonding agent for mortar	
<b>Sika® Plasterstik</b> .....	35
Cement mortar bonding liquid	

## Flooring

<b>Sikafloor® Garage</b> .....	36
Epoxy floor coating	
<b>Sikafloor®-200 Level</b> .....	37
Self-levelling screed	
<b>Sikafloor®-01 Primer</b> .....	38
Flooring primer for levelling compounds and tile adhesives	

## Tiling

<b>SikaCeram®-50 Ceramic</b> .....	39
Ceramic tile adhesive	
<b>SikaCeram®-200 Porcelain</b> .....	40
Porcelain tile adhesive	
<b>SikaCeram®-205 Medium</b> .....	41
Quick setting tile adhesive	
<b>SikaCeram® Clean Grout</b> .....	42
Cementitious floor/wall tile grout	
<b>SikaCeram® Primer ZA</b> .....	43
Primer for tile adhesives and grouts	
<b>SikaCeram® Improver</b> .....	44
Additive for cementitious adhesives and grouts	

## Everbuild Products

<b>Stixall</b> .....	45
<b>Bath &amp; Kitchen Sealant</b> .....	45
<b>Oil-Away</b> .....	46
<b>Wonder Wipes Spray</b> .....	46
<b>Salt-Away</b> .....	47
<b>Cemstrip</b> .....	47
<b>Evercryl Emergency Roof Repair</b> .....	48
<b>XL Fire Cement</b> .....	48
<b>Mammoth Powerful Grip Tape</b> .....	49
<b>Stick 2 Rapid Epoxy</b> .....	49

## VIEW OUR FULL RANGE OF DIY SOLUTIONS AT



Sika continues to make its mark in the world. Our products might not always be visible but the results they achieve are clear to see. Whether your job is large or small, you can always expect trustworthy solutions tailored to your needs and dedicated support of the local sales teams at every stage of your project.



### PRODUCTS

Throughout the world, Sika is providing performant solutions to allow you to use only the best quality products around your home. Our products offer you a wide range of solutions, including waterproofing, sealing & bonding, flooring systems and so much more!



### SOLUTIONS (WHERE TO USE)

Whether you are building your dream home from scratch or renovating to put your personal touches on, Sika has a wide range of products to assist with every step of the way.

# WWW.SIKA.CO.ZA



## STEP BY STEP DIY PROJECTS

Sika South Africa has got you covered with detailed step-by-step guides on how to complete every project correctly and efficiently the first time round!



## 'HOW TO' VIDEOS

Watch Sika's 'How to' videos to find out all the information you need to know on a wide range of products to complete all your DIY projects and small home renovations, making sure that you only have to do the job once!



**BUILDING TRUST**



## Sikalastic®-560

### Premium waterproofing solution

Economical and eco-friendly liquid applied roof waterproofing solution based on Sika Co-Elastic Technology (CET)



#### Uses

- For roof waterproofing solutions in both new construction and refurbishment projects
- For roofs with many details and complex geometry when accessibility is limited
- For cost efficient life cycle extension of failing roofs e.g. old bitumen membranes and coatings
- For a reflective coating to enhance energy efficiency by reducing cooling costs

#### Advantages

- UV resistant and resistant to yellowing and weathering
- Highly elastic and crack-bridging
- Non-toxic and VOC compliant water-based coating
- One component - ready-to-use
- Excellent adhesion on porous and non-porous substrates
- Seamless waterproofing membrane



**Colour:** White and grey

**Packaging:** 5 ℓ and 20 ℓ

To be used in conjunction with Sika® Reemat Premium Membrane  
Membrane Pack size: 5m<sup>2</sup> and 15m<sup>2</sup>

## Sika RainTite® Kit

### Acrylic waterproofing system

Forms a fully bonded, durable and flexible waterproofing system




#### Uses

- Flashings
- Sealing joints, laps and roofing screws
- Parapet walls

#### Advantages

- Flexible and durable
- Vapour permeable
- UV resistant
- Single component acrylic – easy-to-use
- Excellent adhesion



**Colour:** Grey, charcoal, terracotta, white, green, brown, red, burgundy and black

**Packaging:** 1 ℓ and 5 ℓ in kit formation, membrane included

**Sealoflex® Professional**

## Acrylic fibre reinforced waterproofer


Acrylic-based, flexible waterproofing compound containing special fibre reinforcing

**Uses**

- Flat roofs
- Parapet walls
- Flashings (concrete and tiled roofs)
- Overcoating existing roof waterproofing systems

**Advantages**

- Flexible and durable
- Good adhesion to most common, sound, roofing substrates
- Easy-to-use and acrylic
- Single component - ready-to-use
- No membrane needed




**Colour:** Grey, terracotta, charcoal and white

**Packaging:** 5 l

## Cemflex®

### Submersible waterproofer and bonding agent

Acrylic-based emulsion which improves the water resistance and adhesion of Portland cement-based composites



#### Uses

- Shower floors and walls
- Flowerboxes
- Ponds
- Balcony and veranda floors (under tiles)
- Retaining walls
- Also a bonding coat for:
  - Plaster
  - Render

#### Advantages

- Watertight
- Good abrasion resistance
- Ideal for permanently submerged situations
- Non-toxic
- UV stable




**Colour:** Off white

**Packaging:** 1 ℓ, 5 ℓ and 25 ℓ

## Sikalite®


### Powdered waterproofing admixture for mortar

Powdered cementitious waterproofing admixture to prevent the movement of moisture




#### Uses

- Walls
- Facades
- Renders and plasters
- Floor toppings
- Jointing mortars



#### Advantages

- Easy-to-use – in a convenient powdered form
- Watertight, but vapour permeable
- Economical
- Chloride free



**Colour:** Powdered component - Beige

**Packaging:** 1 kg

## Sika® BlackSeal Lastic

### Rubberised bitumen waterproofing coating

Bitumen emulsion coating used in conjunction with a membrane or as a stand-alone coating



#### Uses

- Waterproofing of flat roofs and water retaining structures, e.g. ponds
- Flashing of roofs, gutters and parapet walls
- Sealing of fixings, lap joints and roof screws



#### Advantages

- Supplied ready-to-use
- Primerless system and non-sag
- Flexible at low temperature
- Crack-bridging properties
- Non-toxic
- Applied by brush, roller or trowel




**Colour:** Black

**Packaging:** 5 l and 20 l

## Sika® BlackSeal Brick


### Waterproof barrier coating

One-part, solvent-free, flexible bitumen coating



#### Uses

- Waterproofing of all types of above and below ground brick structures to protect against the penetration of water or damp in a thin coating
- As a primer for bituminous coatings on concrete, mortar and brick structures (normally thinned with water)
- Waterproofing between double layer brick walls



#### Advantages

- Supplied ready-to-use
- Non-sag on vertical surfaces
- Remains flexible at low temperature
- Can be applied on dry and slightly damp surfaces
- Applied by brush, roller and airless spray



**Colour:** Brown-black

**Packaging:** 20 l

## Sika® BlackSeal Primer

### Bitumen primer for bituminous coatings

One-part, solvent-based, bitumen primer for thick layer bituminous coatings and membranes




#### Uses

- Surface consolidation of concrete, mortar and brick substrates
- Improves the adhesion of solvent-free bituminous coatings and membranes

#### Advantages

- Applied by brush, roller or airless spray
- Supplied ready-to-use
- Good penetrating ability into concrete and mortar substrates
- Quick drying



**Colour:** Black

**Packaging:** 5 ℓ and 20 ℓ

## Sika® BlackSeal Silvercoat

### Aluminium bitumen coating

One-part, solvent-based, aluminium pigmented bitumen coating



#### Uses

- Protective coating over SikaBit® Torch-on
- Protective coating for bitumen waterproofing systems exposed to UV

#### Advantages

- Applied by brush, roller or airless spray
- Supplied ready-to-use
- Solvent-based
- Resistant against UV light
- Excellent reflective properties
- Quick drying time



**Colour:** Aluminium

**Packaging:** 5 ℓ and 20 ℓ

## Sika® Index Vis

### Torch-on applied waterproofing membrane

Plastomeric modified bituminous waterproofing membrane



#### Uses

Waterproofing membrane for:

- Retaining walls and basements
- Flat roofs under protective layers or ballast
- Balconies and terraces under tiles
- Wet areas
- Underground car parks
- Raft slabs
- As a base sheet in a double layer roofing system
- Protection of various substrates in a wide range of applications

#### Advantages

- Good watertightness
- Good elongation and cold flexibility
- Good mechanical properties (tensile, tear, shear)



**Colour:** Black

**Packaging:** 3mm and 4mm rolls  
1 m width x 10 m length rolls

## Sikaflex® -11 FC Purform®

### Elastic joint sealant and multipurpose adhesive

Polyurethane-based sealant and adhesive for multipurpose use



#### Uses

- Wall casing and landscaping elements
- Window and door sills and stair casing
- Decorative elements and signs
- Interior sealing
- Movement wall and floor joints
- Window connection/perimeter joints
- Gutters and pipes

#### Advantages

- Movement capability of  $\pm 35\%$
- Bonds well to defined substrates without surface pre-treatment
- Good mechanical and weathering resistance
- Very low emissions
- Adhesive-sealant with CE marking
- Seals and bonds in one step



**Colour:** Grey, white, brown and black. Beige in 600 ml sausage

**Packaging:** 300 ml and 600 ml

## Sikaflex®-112 Crystal Clear

### Transparent adhesive and sealant

Multipurpose transparent adhesive and sealant with good initial grab



#### Uses

- Transparent joint sealing
- Invisible bonding of decorative materials
- Bonding of hooks
- Bonding mosaic tiles to walls, exterior



#### Advantages

- Transparent
- Good initial grab
- Very low emissions
- Adhesive-sealant with CE marking



**Colour:** Clear

**Packaging:** 290 ml

## Sikaflex® -113 Rapid Cure

### Fast curing adhesive

Fast curing adhesive with very high initial grab which bonds most common construction substrates



#### Uses

- Bonding of metal fitting rods to metal claddings
- Bonding of isolation plates to a pipe
- Bonding of plastic parts to metal furniture
- Bonding of paper dispenser on glazed wall tiles



#### Advantages

- Fast curing
- Early handling after 20 min
- Compatible with with EPS/XP
- Adhesive-sealant with CE marking
- Very low emissions



**Colour:** White  
**Packaging:** 290 ml

## Sikabond® -115 Strong Fix

### Interior decorative adhesive

Construction adhesive with high final strength which bonds most construction material substrates



#### Uses

- Bonding of stucco elements to interior walls and sealings
- Bonding of skirting boards
- Bonding of gypsum boards to wooden frames
- Bonding of interior windowsills
- Bonding of panels, terracotta tiles, anodized aluminium, hard PVC profiles, polystyrene mouldings and ceiling tiles

#### Advantages

- Best-in-class lap shear strength
- Fast build-up of strength
- Best-in-class adhesion
- High final strength
- Very low emissions




**Colour:** White

**Packaging:** 290 ml

## Sikaflex® -118 Extreme Grab

### High grab construction adhesive

Construction adhesive with very high initial grab which bonds most construction material substrates



#### Uses

- Bonding stone facing to pillars
- Bonding of bricks, windows and door sills, wood beams and heavy landscaping coverings
- Bonding of mirrors
- Bonding cupboards to walls
- Bonding flowerpots on wall
- Wide adhesion profile for concrete, masonry, most stones, ceramic, wood, metals, glass and mirrors

#### Advantages

- Very high initial grab
- Fixing of heavy objects without temporary fixation
- Good workability
- Very low emissions
- Adhesive-sealant with CE marking



**Colour:** White

**Packaging:** 290 ml

## Sikaflex® Construction

### Flexible sealant for concrete and masonry facades

Moisture curing, elastic joint sealant suitable for movement and connection joints



#### Uses

Sealing joints for:

- Facade elements
- Movement and connections
- Pre-cast elements
- Infill panels
- Cladding
- Curtain walling
- Interior and exterior use
- Sealing between a range of porous and non-porous substrates

#### Advantages

- Very good weathering and ageing resistance
- Movement capability of  $\pm 35$  (ASTM C 719)
- Good adhesion to many substrates
- Very low emissions




**Colour:** Grey and white

**Packaging:** 300 ml and 600 ml

## Sika Boom® S

### High expanding foam

Fixing and filling polyurethane foam




#### Uses

- Filling gaps and voids that occur around the home
- Blocking out dust, noise, drafts and vermin
- Installation of window and door frames
- Insulation of pipes



#### Advantages

- High expanding rate
- Easy application
- Fast hardening
- Easy to cut, sand and over paint
- Multi-positioning dispenser
- Has excellent adhesion to most substrates
- Suitable for outside use



**Colour:** Light yellow

**Packaging:** 750 ml

## Sikasil® Pool

Silicone sealant for swimming pools and permanently wet areas

Neutral curing silicone sealant



### Uses

- Joints in and around swimming pools
- Areas under permanent water immersion and frequently wet areas such as shower rooms in sports halls or leisure facilities
- Between ceramics, tiles, concrete, glass, metals and other typical building substrates



### Advantages

- Excellent UV and weathering resistance
- Extremely high resistance to fungal attack
- High chlorine resistance
- High tear resistance
- Non-corrosive
- High elasticity and flexibility




**Colour:** White

**Packaging:** 300 ml

## Sanisil®

## Silicone sealant for sanitary applications

Elastic, non-sag, silicone sealant with long-term resistance to fungus and mildew

**Uses**

- For sanitary or other sealing applications
- For applications where fungi and mildew resistance is required, such as basins, showers, toilets, baths, etc.

**Advantages**

- Long-term resistance to mould growth
- Long-term fungus and mildew resistance
- Excellent adhesion to a wide range of substances
- Excellent UV and weathering resistance
- High elasticity and flexibility




**Colour:** White and clear

**Packaging:** 300 ml

**Sikacryl® S**

## Acrylic sealant for painters

Multipurpose acrylic sealant

**Uses**

Sealing joints for:

- Interior joints on many types of substrate with a limited amount of movement
- Connections around window and door frames
- Around wall and ceiling penetrations
- Crack filling: Internal and external cracks not exposed to permanent water immersion

**Advantages**

- Good adhesion to substrates such as wood, concrete, etc.
- Low odour
- Good application properties
- High durability
- Movement capability of  $\pm 7.5\%$
- Over-paintable

**Colour:** White**Packaging:** 300 ml

## Sika® MultiSeal

### Bituminous sealing tape


Self-adhesive, bituminous sealing tape



#### Uses


Sealing and repairing against water ingress and draughts in:

- Roofs including sheet metal work
- Building cracks
- Bituminous felts and other types of roofing sheets



#### Advantages

- Very easy to apply
- Very economical
- Good adhesion to many substrates
- Weather-proof
- Self-adhesive
- UV resistant
- Can be over-painted
- Can be applied at low temperatures



**Colour:** Upper side: Aluminium foil  
Lower side: Self-adhesive bituminous tape

**Packaging:** 50 mm x 2.5 m, 75 mm x 2.5 m,  
100 mm x 2.5 m, 150 mm x 2.5 m

## Sika® Scraper & Smoother

Strike, remove, smooth

Scraper and smoother for joint seals



### Uses

- Seals around bathtubs, showers, sinks, etc.
- Joints around worktops, kitchen sinks, etc.
- Finishes joints - vertical or horizontal between floor and plinth, etc.



### Advantages

- Easy-to-use
- Adjustable smoothing heads





**Colour:** Red

**Packaging:** Scraper, smoother and 5 adjustable smoothing heads

## SikaGrout®-212

### High strength cementitious grout

Free flowing, low shrinkage expanding cementitious grout



#### Uses

- General purpose grouting
- Filling cavities, voids, gaps and recesses
- Post fixings
- Machine and base plates
- Dowling reinforcing bars
- Bedding joints in pre-cast concrete sections

#### Advantages

- Easy-to-use
- Adjustable consistency
- Very good flow characteristics
- Rapid strength development
- High final strengths
- Non-corrosive



**Colour:** Grey

**Packaging:** 25 kg

## Sika AnchorFix® S

### Anchoring adhesive


Fast-curing, two-part polyester anchoring adhesive



#### Uses

Low to medium load anchoring adhesive for:

- Bolts and special fastening systems
- Threaded rods
- Rebars, reinforcing steel
- Concrete
- Hard natural stone and solid rock
- Hollow and solid masonry



#### Advantages

- Fast-curing
- Non-sag, even overhead
- Low to medium load capacity
- Low wastage



**Colour:** Light grey  
**Packaging:** 300 ml

## Sikadur® AP

### All-purpose epoxy adhesive paste

General purpose, two-component, epoxy adhesive paste




#### Uses

- Bricks
- Concrete
- Wood
- Ceramics
- Metal



#### Advantages

- Easy to mix and apply
- Convenient 1 to 1 mixing ratio
- Excellent adhesion
- Can be applied to damp surfaces
- Ideal for vertical and overhead applications
- Can be smoothed off with water




**Colour:** Part A: White, Part B: Light brown, Mix: Beige

**Packaging:** 250 ml, 500 ml, 1 l and 5 l kits

## Sikadur®-32 N

### Wet to dry epoxy resin bonding agent

Solvent-free, moisture tolerant, medium viscosity, structural epoxy bonding agent



#### Uses

As a structural bonding agent and adhesive for:

- Concrete elements (including bonding fresh to hardened concrete)
- Hard natural stone
- Ceramics, fibre-cement
- Mortar, Bricks, Masonry
- Steel, Iron, Aluminium
- Wood
- Polyester / fibre glass and epoxy resin materials
- Glass



#### Advantages

- Suitable for dry and damp concrete surfaces
- High Bond Strength
- Hardens without shrinkage
- No primer needed




**Colour:** Part A: White, Part B: Grey, Mix: Light grey

**Packaging:** 1 ℓ and 5 ℓ kits

## Sikagard®-703 W


### Rain and water repellent treatment for buildings

Ready for use emulsion, silane / siloxane combination based, water repellent impregnation



#### Uses

- For making facades water repellent and protecting building against water ingress
- Can be applied on mortar, masonry, brick, stone, asbestos cement



#### Advantages

- Strong water repellent capability
- Allows the substrate to breathe (vapour permeable)
- Treatment is usually invisible not changing the substrate aspect
- Due to the reduction of water absorption, it improves the resistance of facades to stain and dirt pick and helps the reduction of moss and lichen growth
- Can be over coated with suitable paints and coatings




**Colour:** Whitish liquid

**Packaging:** 5 l and 25 l

## Sikagard®-905 W

### Damp-proofer and surface hardener

Water-based resin damp-proofing and hardening impregnation



#### Uses

- Primer, waterproofer and sealer for plastered surfaces
- Surface hardener for weak and powdery substrates
- For prevention and treatment against mould, mildew and efflorescence
- Protection of stones and exposed bricks
- Can be used in indoor and outdoor environments
- Waterproofing rustic surface of marble and granite floors

#### Advantages

- Effective in protecting against damp
- Almost invisible when dry
- Can be painted or covered with wallpaper
- UV resistant




**Colour:** Milky white

**Packaging:** 5 l and 25 l

**SikaLatex®**

## Water resistant bonding agent for mortar

High quality, synthetic polymer emulsion for adding to cement bonding slurries where good adhesion is required

**Uses**

- For adding to cement screeds and mortars to improve compressive and flexural strength
- Thin layer patching mortars
- Renders
- Floor screeds
- Tile fixing mortars
- Concrete repair mortars

**Advantages**

- Increases adhesion strengths
- Greater elasticity
- Excellent water resistance
- Increased abrasion resistance
- Non-toxic



**Colour:** Milky white

**Packaging:** 5 l and 25 l

## Sika® Plasterstik

### Cement mortar bonding liquid

Co-polymer emulsion formulated to improve the adhesion of cement mortar to surfaces




#### Uses

- Bonding agent for cement plasters and renders
- Improves adhesion of cement mortar to surfaces

#### Advantages

- Easy-to-use
- Non-toxic
- Economical
- Water-based



**Colour:** Milky white

**Packaging:** 5 l and 25 l

## Sikafloor® Garage

Protective epoxy floor coating for indoor use

Two-part, water-based, coloured, epoxy resin based coating



### Uses

- For concrete, cement screeds, broadcast coatings and epoxy mortars
- Subjected to normal up to medium heavy mechanical and chemical loading
- For garages, workshops, production halls, warehouses, car park decks, etc.



### Advantages

- Long-term floor protection
- Good chemical and mechanical resistance
- Water vapour permeable
- Solvent-free
- Odourless
- Easy application




**Colour:** Light grey and telegrey

**Packaging:** 5 l kit

## Sikafloor®-200 Level

### Self-levelling screed

Multipurpose, very low emission cement-based self-levelling compound suitable for interior and exterior areas



#### Uses

- Filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, seamless resin floors, textile and elastic floor coverings for interior and exterior residential and non-industrial areas



#### Advantages

- Self-levelling
- Suitable for application on subfloor heating systems
- Layer thickness 3 mm - 40 mm
- Low tension
- Pumpable
- Exterior use when covered. Suitable for castor wheels loading according to EN 12529
- Suitable to build bonded screeds under ceramic tiles on cementitious substrates



**Colour:** Grey

**Packaging:** 20 kg

To be used in conjunction with Sikafloor®-01 Primer

## Sikafloor®-01 Primer

Water-based flooring primer for levelling compounds and tile adhesives

Water-based, synthetic resin concentrate which is diluted with water and used to prime cementitious, wood and mastic asphalt floor substrates



### Uses

- Reducing absorbency of substrate
- Improving adhesion on smooth and sound substrates
- Protecting the substrate against moisture from cementitious levelling compounds or tile adhesives



### Advantages

- Low consumption/high coverage
- Short waiting times
- Reduces substrate dust
- Compatible with defined substrates
- Very low emissions
- Applied by brush, roller or spray



**Colour:** Blue liquid

**Packaging:** 1 kg and 10 kg

## SikaCeram®-50 Ceramic

### Ceramic tile adhesive

Tile adhesive intended to lay absorbent tiles on absorbent substrate in residential and commercial use




#### Uses

- Absorbent ceramic tiles
- Can be used on indoor walls and floors, and outdoor floors including:
  - Residential environments
  - Commercial environments (foot traffic only)



#### Advantages

- Easy-to-use
- Excellent workability
- Excellent potlife
- Can be applied directly on cement screeds or concrete
- Non-toxic
- Suitable for indoor and outdoor applications



**Colour:** Grey


**Packaging:** 20 kg

\* Products only available in selected regions

## SikaCeram®-200 Porcelain

### Porcelain tile adhesive

Polymer modified, cement-based, improved adhesive for ceramic and porcelain tiles



#### Uses

- Absorbent ceramic tiles
- Non-absorbent porcelain tiles
- Can be used on indoor walls and floors, and outdoor floors including:
  - Residential use
  - Commercial use
  - Gypsum and cement-based substrates



#### Advantages

- No vertical slip, high slump resistance and grab
- Extended open time
- Suitable for all types of ceramic and porcelain tiles



**Colour:** Grey


**Packaging:** 20 kg

\* Products only available in selected region

## SikaCeram®-205 Medium

### Quick setting tile adhesive

Polymer modified, cement-based, improved adhesive for medium sized ceramic tiles



#### Uses

- Bonding the following types of tiles: ceramic, earthenware, porcelain, stoneware, terrazzo and unglazed
- Bonding tiles for the following applications: balconies, heated floors (water systems), kitchens, overlaying existing indoor sound ceramic tiles, residential environments, terraces, wet areas, spot-gluing and insulating panels made of polystyrene, polyurethane foam, rock or glass wool

#### Advantages

- Layer thickness: 1-10 mm
- Normal setting
- No vertical slip
- High slump resistance and grab
- Extended open time



**Colour:** Grey

**Packaging:** 20 kg

\* Products only available in selected regio

## SikaCeram® CleanGrout

Cementitious floor/wall tile grout for joints 2-8 mm

Cementitious setting, floor / wall tile grout powder for use in joints from 2-8 mm in width.



### Uses

Grouting the following tile types

- Ceramic
- Earthenware
- Glass mosaic
- Marble and other natural stones
- Grès porcelain



Grouting tiles for the following high performance and demanding applications:

- Swimming pools
- Heated floors
- Commercial / Industrial / Residential environments
- Facades



### Advantages

- Floor and wall application
- Water repellent
- UV resistant
- Contains protection against mould, bacterial and fungal growth



**Colour:** White, light grey, dark grey and beige

**Packaging:** 2 kg and 5 kg

## SikaCeram® Primer ZA

### Primer for grout and tile adhesives

Latex-based liquid primer formulated for enhancing the bond of the tile adhesive to screeds and concrete floors



#### Uses

- Treating cement-based substrates where tile adhesives and grouts are to be applied
- Surface treatment for very absorbent cement screeds or plaster finishes prior to the application of cement-based adhesives and grouts



#### Advantages

- Improves bond to poor substrates
- Reduces absorbency
- Easy-to-use
- Excellent adhesion to cement-based surfaces
- Water-resistant properties
- Non-toxic
- Non-corrosive




**Colour:** White liquid  
**Packaging:** 1 ℓ and 5 ℓ

## SikaCeram® Improver

### Grout and tile adhesive additive

A replacement for mixing water to improve the adhesion and elastic performance of non-polymer based cementitious adhesives and tiling grouts



#### Uses

SikaCeram® Improver blended with SikaCeram®-50 Ceramic can be applied to lay porcelain or any kind of ceramic tiles in the following applications:

- Medium and large sized tiles
- Absorbent ceramic tiles
- Non-absorbent porcelain tiles



#### Advantages

- High adhesion
- High elasticity



**Colour:** White liquid

**Packaging:** 1 ℓ and 5 ℓ

## Stixall

The ultimate combined building adhesive and sealant, based on hybrid polymer technology with the most extreme power to both bond and seal virtually everything to anything in almost all conditions, even under water

### Uses

- High quality nail replacement adhesive, even to damp surfaces
- Perimeter pointing around doors and windows, especially in mobile structures such as caravans and boats
- Bonding mirrors to most common substrates
- Automotive gap filling and sealing
- Jointing cladding panels

### Benefits

- Incredible initial grab
- Can be applied to wet surfaces
- Totally waterproof & weatherproof
- Quick-curing
- Overpaintable
- Resistant to extreme temperature

**Colour:** Clear and white

**Packaging:** 80 ml



## Bath & Kitchen Sealant

High quality, acrylic-based sealant for areas of high humidity around the kitchen and bathroom

### Uses

- Sealing around kitchen worktops etc.
- Internal sealing around timber and metal window and door frames
- Internal sealing around PVCu window and door frames
- Sealing around baths, sanitary ware, basins and ceramics

### Benefits

- Permanently flexible
- Adheres to most surfaces
- Mould-resistant
- Overpaintable

**Colour:** White

**Size:** 200 ml



## Oil-Away

Quick and easy solution for removing oil, petrol, diesel and grease stains from driveways and garage floors

### Uses

- Removing oil stains from driveways including concrete, stone, tarmac, block paving etc.
- General cleaner for paths, patios and driveways

### Benefits

- Ready-to-use, no diluting required
- Available in a handy ready-to-use spray
- Water clean up

**Colour:** Clear

**Size:** 1 ℓ



## Wonder Wipes Spray

The ideal solution for cleaning large surface areas. Also the perfect way to keep PVC door and window frames looking good as new

### Uses

- Used to clean up wet and semi-cured paints, sealants, adhesives, bitumen's, polyurethanes, expanding foams, polyester fillers and epoxies from tools, surfaces and hands
- Easily remove oil, grease, petrol and inks, yet the powerful cleaning agents are still kind to hands. It contains lanolin to condition skin and prevent dryness and cracking

### Benefits

- Contains a powerful anti-bacterial additive
- Cleans up paint, sealant, adhesive, bitumen, expanding foam, oil, grease & much more
- Ideal for all trades including builders, painters, joiners, window installers, etc.

**Colour:** Clear

**Size:** 1 ℓ



## Salt-Away

Removes salt and unsightly white efflorescence from bricks, stone and concrete

### Uses

- Removing efflorescence from most common mineral surface including brick, stone, render, pathways, patio areas etc.

### Benefits

- Biodegradable safe formula
- Ready-to-use spray
- Water clean up
- Can be poured, sprayed or brushed on

**Colour:** Clear

**Size:** 1 ℓ



## Cemstrip

A new type of cement, concrete and mortar stain remover that provides a more environmentally-friendly alternative to conventional hydrochloric acid-based cement removers

### Uses

- Removes cement, mortar and concrete on most mineral surfaces such as paths, patios and walls
- Cleaning tools, cement mixers and other building equipment

### Benefits

- Safer to use than conventional hydrochloric acid-based products
- Ready-to-use spray
- Water clean up

**Colour:** Green

**Size:** 1 ℓ



## Everycryl Emergency Roof Repair

Instant waterproofing repair for all roofs, even in the wet

### Uses

- General sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions - for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc
- Waterproofing guttering (plastic and metal), downpipes, gully's, flashings, upstands, vents and leadwork

### Benefits

- May be applied in damp and wet conditions
- Formulated from lightfast acrylic polymers to withstand sunlight for longer periods than traditional bitumen
- Fibre-reinforced to bridge small cracks
- Primerless adhesion to most bituminous and non-porous surfaces

**Colour:** Translucent

**Size:** 310 ml



## XL Fire Cement

A ready-mixed blend of thermo setting resins and temperature resistant inorganic fillers that cures when exposed to heat to give a seal that is resistant to temperatures up to 1250°C

### Uses

- Fire bricks, fire grates, flue pipes, flue bricks
- Boilers
- Solid fuel burning stove
- Offers excellent adhesion to fire bricks, blockwork, stone and clayware, asbestos free

### Benefits

- Easy-to-apply by trowel
- Temperature resistant up to 1250°C
- Suitable for domestic and industrial use
- Asbestos free

**Colour:** Buff

**Size:** 2 kg, 5 kg



## Mammoth Powerful Grip Tape

A polyester fabric-reinforced double-sided tape with a powerful synthetic rubber/resin adhesive, designed to give an incredible immediate bond strength

### Uses

- Bonds most materials to themselves or each other
- Suitable for ceramics, wood, glass, plastics, brickwork, PVC etc.
- Can be applied to both porous and non-porous surfaces

### Benefits

- Weatherproof
- Strong initial bond strength
- Will stick to porous and non-porous surfaces

**Colour:** Clear

**Size:** 50 mm x 2.5 m, 25 mm x 2.5 m, 12 mm x 2.5 m



## Stick2 Rapid Epoxy Tube Adhesive

Industrial strength, two-part, clear adhesive which sets hard in just 4 minutes

### Uses

- Ideal for bonding metals, glass, wood, china, dry concrete, rubber, fabrics, crystal, jewellery/precious stones and various hard plastics

### Benefits

- Industrial strength
- Sets hard in just 4 minutes
- Non-drip formula
- May be drilled, sanded, machined and painted once fully cured

**Colour:** Clear

**Size:** 2 x 12 ml tube







# KNOW-HOW FROM SITE TO SHELF



Sika continues to make its mark all over the world. Our products might not always be visible but the results they achieve are clear to see. Whether your job is large or small, you can always expect trustworthy solutions tailored to your needs and dedicated support from the local sales teams at every stage of your project. Further, helping you successfully complete the job, Sika brings solid experience even closer to you, making products and systems conveniently available on the retail shelves throughout the world.

## OUR EXPERIENCE - YOUR BENEFIT!

### **KwaZulu-Natal**

Tel: +27 31 792 6500

### **Zululand**

Tel: +27 35 797 3814

### **Eastern Cape**

Tel: +27 41 453 2813

### **Namibia**

Tel: +264 61 259 092

### **Western Cape**

Tel: +27 21 555 0755

### **Gauteng**

Tel: +27 11 573 4940

### **Bloemfontein**

Tel: +27 51 430 0333

### **Botswana**

Tel: + 267 31 12774

### **Sika Customer Service:**

Tel: 031 792 6500 | Fax: 031 700 1760

Email: [headoffice@za.sika.com](mailto:headoffice@za.sika.com)

Website: [www.sika.co.za](http://www.sika.co.za)

**BUILDING TRUST**

