

BUILDING TRUST

PRODUCT DATA SHEET Sikalastic[®]-570 Top Coat

Solar reflective PU top coat for Sikalastic[®] roof waterproofing systems

DESCRIPTION

Sikalastic[®]-570 Top Coat is a 1-part, polyurethane, UVstable, water based liquid cold-applied top coat, designed to provide a durable, colour stable highly reflective top coat for Sikalastic[®]-612 and Sikalastic[®]-614 roof waterproofing systems.

USES

Sikalastic[®]-570 Top Coat may only be used by experienced professionals.

- UV-stable top coat for Sikalastic[®]-612 and Sikalastic[®]-614 roof waterproofing systems
- Highly reflective top coat (traffic white RAL9016) for excellent cool roof characteristics and solar roofs
- Color stable aliphatic PU topcoat for use on roofs not exposed to ponding water

CHARACTERISTICS / ADVANTAGES

- Resistant to UV exposure highly reflective (RAL9016) and resistant to yellowing
- Highly elastic and crack-bridging retains flexibility even at low temperatures
- Water based with low VOC content
- 1-part, easy and ready to use
- Easily recoated no stripping required
- Water vapour permeable allows the substrate to breath
- Good resistance to common atmospheric chemicals
- 12 months shelf life

ENVIRONMENTAL INFORMATION

• Conformity with LEED v2009 SSc 7,2 (Option 1): Heat Island Effect - Roof

APPROVALS / STANDARDS

 VOC Content ISO 11890-2, Sikalastic[®]-570 Top Coat, eurofins, Test report No. 392-2018-00051201_XI_EN

PRODUCT INFORMATION

| Chemical Base | Polyurethane dispersion | | |
|-------------------------|--|----------------------|--|
| Packaging | 5 l (~6,15 kg) metal containers 15 l (~18,45 kg) metal containers | | |
| Colour | Traffic White (ca.RAL 9016), Grey, Light Red, | , Beige, Green, Blue | |
| Shelf Life | 12 months from date of production | | |
| Storage Conditions | The product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +30 °C. Always refer to packaging. | | |
| Density | 1,23 kg/l (at 23 °C) | (EN ISO 2811-1) | |
| Solid content by weight | ~47 % (+23 °C / 50 % r.h.) | | |
| Solid content by volume | ~34 % (+23 °C / 50 % r.h.) | | |
| | | | |

Product Data Sheet Sikalastic®-570 Top Coat September 2021, Version 04.01 02091515100000017

TECHNICAL INFORMATION

| Tensile Strength | ~15 N/mm² (free film) | (EN ISO 527-3) |
|-------------------------|---|----------------|
| Elongation at Break | ~250 % (free film) | (EN ISO 527-3) |
| Solar Reflectance Index | 108 | (ASTM E 1980) |
| | All values related to the reflectance/emittance properties provided in this Product Data Sheet refer to the initial (properly cured, non-weathered) status of the product | |
| Service Temperature | -20 °C min. / +90 °C max. | |

SYSTEM INFORMATION

System Structure



Sikalastic[®]-570 Top Coat is applied as UV-stable coating to enhance surface appearance as well as solar reflectivity and extend durability of Sikalastic[®]-612 and Sikalastic[®]-614 waterproofing systems.

| Layer | Product | Consumption |
|-----------------------|---|----------------------------|
| 1. Primer | Refer to PDS of Sikalast- | Refer to PDS of the |
| | ic [®] -612 or Sikalastic [®] - | Primer |
| | 614 | |
| 2. Waterproofing Sys- | Sikalastic [®] -612 or | ≥ 2,0 l/m ² |
| tem | Sikalastic [®] -614 applied | (≥ 2,8 kg/m²) |
| | in two coats, reinforced with Sika [®] Reemat | in two coats |
| | Premium or Sikalastic [®] | |
| | Fleece-120 | |
| 3. Top coat | Sikalastic [®] -570 Top | ≥ 0,2–0,3 l/m ² |
| | Coat applied in one or | (≥ 0,25–0,375 kg/m²) |
| | two coats | |

Note: These figures are theoretical and do not include for any additional material required due to surface porosity, surface profile, variations in level and wastage.

BUILDING TRUST

APPLICATION INFORMATION

| Ambient Air Temperature | +10 °C min. / +35 °C max. |
|-------------------------|---------------------------|
| Relative Air Humidity | 80 % max. |
| Substrate Temperature | +5 °C min. / +60 °C max. |

Product Data Sheet Sikalastic®-570 Top Coat September 2021, Version 04.01 02091515100000017



| | Beware of condensation. Surface temperature during application mu at least +3 °C above dew point. | | | | oplication must b |
|-------------------------------|--|--|--|--|---|
| Substrate Moisture Content | ≤4 % moisture content. No rising moisture according to ASTM (Polyethylene-sheet). No water moisture / condensation on the substrate. | | | | |
| Waiting Time / Overcoating | Before applying Sikalastic [®] -570 Top Coat on Sikalastic [®] -612 or Sikalastic ^{®.} 614 : | | | | |
| | Substrate Temperature | Relative Humidit | Mini: Y | mum | Maximum* |
| | +10 °C | 50 % | | nours | 7 days |
| | +20 °C | 50 % | ~6 ho | ours | 7 days |
| | +30 °C | 50 % | ~4 ho | | 7 days |
| | Primer | After 7 days the surface must be cleaned and primed with Sika[®] Bondi Primer Before applying Sikalastic[®]-570 Top Coat on Sikalastic[®]-570 Top Coat: | | | |
| | Substrate | Relative | Mini | | Maximum* |
| | | | | | |
| | | | | inani | |
| | Temperature +10 °C | Humidit 50 % | | | 7 days |
| | Temperature | Humidit | y | ours | |
| | Temperature +10 °C | Humidit 50 % | y ~8 ho | ours | 7 days |
| | Temperature +10 °C +20 °C +30 °C * After 7 days Primer. Note: Times ar conditions par ure and high re | Humidit 50 % 50 % 50 % the surface r re approxima ticularly temp elative air hum | y ~8 ho ~6 ho ~2 ho must be cleaned te and will be af perature and rel | ours ours ours and primed fected by cha lative humidit ring, while hi | 7 days 7 days 7 days with Sika® Bondin anging ambient ty. Low temperat gh temperatures |
| Applied Product Ready for Use | Temperature +10 °C +20 °C +30 °C * After 7 days Primer. Note: Times ar conditions par ure and high re and low relativ Substrate | Humidit 50 % 50 % 50 % the surface r ticularly tempelative air humidit Relative | y ~8 ho ~6 ho ~2 ho must be cleaned te and will be af perature and rel midity retard cu | ours ours ours and primed fected by cha lative humidit ring, while hi | 7 days 7 days 7 days with Sika® Bondin anging ambient ty. Low temperat gh temperatures |
| Applied Product Ready for Use | Temperature +10 °C +20 °C +30 °C * After 7 days Primer. Note: Times ar conditions par ure and high re and low relativ | Humidit 50 % 50 % 50 % the surface r re approxima ticularly temp elative air humidit re air humidit Relative Humidity | y ~8 ho ~6 ho ~2 ho must be cleaned te and will be af perature and rel midity retard cu | ours ours ours and primed fected by cha lative humidit ring, while hi ring progressi Rain Resistant | 7 days 7 days 7 days with Sika® Bondi anging ambient ty. Low temperat gh temperatures on. Full cure |
| Applied Product Ready for Use | Temperature +10 °C +20 °C +30 °C * After 7 days Primer. Note: Times ar conditions par ure and high re and low relativ Substrate Temperature | Humidit 50 % 50 % 50 % the surface r ticularly tempelative air humidit Relative | y ~8 ho ~6 ho ~2 ho must be cleaned te and will be af perature and rel midity retard cu y accelerate cur Touch dry | ours ours ours and primed fected by cha lative humidit ring, while hi ring progressi Rain | 7 days 7 days 7 days with Sika® Bondi anging ambient ty. Low temperat gh temperatures on. |

and low relative air humidity accelerate curing progression.

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LIMITATIONS

- Do not apply Sikalastic[®]-570 Top Coat on substrates with rising moisture.
 Sikalastic[®]-570 Top Coat is not suitable for perman-
- Sikalastic[®]-570 Top Coat is not suitable for permanent water immersion.
- Sikalastic[®]-570 Top Coat is not suitable for roofs with frequent pedestrian traffic or to roofs that are exposed to ponding water.
- Do not dilute Sikalastic[®]-570 Top Coat with any solvent or water.
- Do not apply the product in hot and humid climates such as type A, Cw or Cf according to Koeppen-Geiger classification.
- Ensure good airflow is maintained during the curing process.
- Sikalastic[®]-570 Top Coat shall not be applied on

roofs subject to ponding water over 24 hours or with subsequent periods of frost.

- Ensure that temperature does not drop below 8 °C and that relative humidity does not exceed 80 % until the coating has fully cured.
- Do not apply cementitious products (e.g. tile mortar) directly onto Sikalastic[®]-570 Top Coat.
- On bituminous substrates, Sikalastic Metal Primer shall be applied prior to the application of the waterproofing system to prevent migration of volatile bitumen

ECOLOGY HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.





BUILDING TRUST

DIRECTIVE 2004/42/CE - LIMITATION OF EMISSIONS OF VOC

According to the EU Directive 2004/42/CE, the maximum allowed content of VOC (product category IIA / i type wb) is 140 g/l (Limits 2010) for the ready to use product.

The maximum content of Sikalastic[®]-570 Top Coat is < 140 g/l VOC for the ready to use product.

APPLICATION INSTRUCTIONS

SUBSTRATE PREPARATION

The applied waterproofing system consisting of Sikalastic®-612/614 must have cured tack free and must be sound, of sufficient strength, clean, dry and free of dirt, oil, grease and other contamination. Sikalastic®-570 Top Coat must be applied within 7 days after application of the base coat. If the overcoating time is exceeded, Sika Bonding Primer must be applied at a consumption rate of ~100 g/m². For detailed information regarding application of

Sikalastic[®]-612 and 614 waterproofing systems please refer to the corresponding Product Data Sheet and Method Statement.

MIXING

Prior to application, stir Sikalastic[®]-570 Top Coat gently but thoroughly for 1 minute in order to achieve a homogeneous mixture.

Stirring gently will minimise air entrainment.

APPLICATION

Sikalastic®-570 Top Coat is applied in one or two coats, by roller, brush or airless spray. Prior to the application of Sikalastic®-570 Top Coat the roof water-proofing systems must have been installed and cured sufficiently. For waiting time / overcoating refer to the table above.

CLEANING OF TOOLS

Clean all tools and application equipment with water immediately after use. Hardened material can only be removed mechanically.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request. It may be necessary to adapt the above disclaimer to specific local laws and regulations. Any changes to this disclaimer may only be implemented with permission of Sika® Corporate Legal in Baar.

Sika South Africa (Pty) Ltd 9 Hocking Place, Westmead, 3608 South Africa Phone +27 31 792 6500 www.sika.co.za



Product Data Sheet Sikalastic®-570 Top Coat September 2021, Version 04.01 020915151000000017 Sikalastic-570TopCoat-en-ZA-(09-2021)-4-1.pdf



BUILDING TRUST