

BUILDING TRUST



YOUR DIY SOLUTIONS for all your important projects



SIKA'S FULL RANGE OF SOLUTIONS

Sika operates in the seven target markets - concrete, waterproofing, roofing, flooring, sealing & bonding, refurbishment and industry - delivering its customers innovative products and systems that boost the efficiency, durability, safety and aesthetic appeal of the buildings, infrastructure facilities, vehicles or other industrial installations.

Whether you are creating the structure of tomorrow or extending the lifecycle of the existing one, Sika provides you with technologically advanced, tailor-made solutions to suit your most challenging project requirements. Our products always comply with the latest industry standards and regulations, giving you the complete peace of mind and the reassurance of working with a reliable manufacturer.



WATERPROOFING



CONCRETE



REFURBISHMENT



SEALING AND BONDING



FLOORING



ROOFING



INDUSTRY

CONTENTS

Waterproofing

Sikalastic®-560	6
Premium waterproofing solution	
Sika RainTite®	7
Acrylic waterproofing system	
Sealoflex® Professional	8
Acrylic fibre reinforced waterproofer	
Cemflex®	9
Submersible waterproofer and bonding agent	
Sikalite®	10
Powdered waterproofing admixture for mortar	
Sika® BlackSeal Lastic	11
Rubberised bituminous waterproofing coating	
Sika® BlackSeal Brick	12
Polymer modified bitumen emulsion coating	
Sika® BlackSeal Primer	13
Bitumen primer for bituminous coating	
Sika® BlackSeal Silvercoat	14
Aluminium bitumen coating	
Sika® BlackSeal Torch-on	15
Torch-on waterproofing membrane	

Sealing and Bonding

Sikaflex®-11FC+	16
Elastic joint sealant and multipurpose adhesive	
Sikaflex® Crystal Clear	17
Transparent multipurpose sealant and adhesive	
Sikaflex® High Tack	18
High tack adhesive for universal bonding	
Sikaflex® Construction	19
Flexible sealant for concrete and masonry facades	
Sika MaxTack®	20
Water-based high strength grab adhesive	
Sika Boom®	21
High expanding Foam	
Sikasil® Pool	22
Silicone sealant for swimming pools and permanently wet areas	

Sanisil®	23
Silicone sealant for sanitary applications	
Sikacryl®-S	24
Elasto-plastic acrylic sealant	
Sika® Multiseal-ZA	25
Bituminous sealing tape	
Sika® Scraper & Smoother	26
Scraper and smoother	

Grouting

SikaGrout®-212	27
High strength cementitious grout	

Structural Strengthening

Sika AnchorFix®-S	28
Anchoring adhesive	
Sikadur®-AP	29
All purpose epoxy adhesive paste	
Sikadur®-32N	30
Wet to dry epoxy resin bonding agent	

Repair and Protection

Sikagard®-703 W	31
Water repellent for buildings	
Sikagard®-905 W	32
Damp-proofing and surface hardener	
SikaLatex®	33
Water resistant bonding agent for mortar	
Sika® Plasterstik	34
Cement mortar bonding liquid	

Flooring

Sikafloor® Garage	35
Protective epoxy floor coating for indoor use	
SikaCeram®-50 Ceramic	36
Ceramic Tile Adhesive	
SikaCeram®-200 Porcelain	37
Porecelain Tile Adhesive	
SikaFloor®-200 Level	38
Self Levelling Screed	

Please consult the most current local product data sheet prior to any use

QUICK REFERENCE PRODUCT CHART

WATERPROOFING	RAINTITE KIT	SEALOFLEX PROFESSIONAL	SIKA BLACKSEAL LASTIC	SIKA BLACKSEAL BRICK	SIKA BLACKSEAL PRIMER	SIKA BLACKSEAL SILVERCOAT	SIKA BLACKSEAL TORCH-ON	CEMFLEX	SIKALITE	SIKALASTIC-560
Tiled roofs	✓	✓	✓		✓	✓	✓	✓		✓
Concrete roofs	✓	✓	✓		✓	✓	✓	✓		✓
Iron roofs	✓	✓	✓		✓	✓	✓	✓		✓
Flat roofs	✓	✓	✓		✓	✓	✓	✓		✓
Parapet walls	✓	✓	✓		✓	✓	✓	✓		✓
Sealing joints, laps and roof screws	✓	✓	✓			✓		✓		✓
Ponds								✓		
Showers								✓		
Balconies								✓		
Brick Chimneys	✓	✓	✓					✓		✓
Gutter joints			✓					✓		
Flower boxes			✓					✓		
Below and above ground concrete and brick structures			✓					✓		
Between double layer brick walls								✓		
Waterproofing mortar / plaster					✓				✓	
Bitumen primer for bituminous coatings										
Aluminium bitumen coating as a protective coating over BlackSeal Torch-on						✓				
Bitumen waterproofing membrane							✓			
Waterproofing of exterior walls of basements and retaining walls							✓			

SEALING AND BONDING	SIKAFLEX-T1FC+	SIKA MAXTACK	SIKACRYL-S	SIKA BOOM	SANISIL	SIKASIL-POOL	SIKA MULTISEAL-ZA	SIKAFLEX CONSTRUCTION	SIKAFLEX CRYSTAL CLEAR	SIKAFLEX HIGH TACK
Joint sealing	✓		✓			✓	✓	✓	✓	✓
Bonding window sills	✓									
Perimeter sealing of window and door frames	✓		✓			✓		✓	✓	
Crack filling	✓		✓							
Bonding to metal, concrete, brick, tiles, wood	✓		✓					✓	✓	✓
Indoor connection joints	✓									
Wood floor bonding										
Polystyrene comices	✓	✓								✓
Skirting boards	✓	✓								
Installation of window and door frames				✓						
Insulation between pipes and concrete wall				✓						
Ceramic, fibre cement, brick	✓	✓	✓					✓		✓
Sealing building cracks from water ingress	✓						✓			
Sealing roofs from water ingress							✓			
Sealing gutters from water ingress	✓						✓			
Sealing a bath, shower, toilets and basin					✓	✓				
Sealing joints in and around swimming pools						✓				
Sealing areas under permanent water immersion						✓				

REPAIR AND PROTECTION	SIKAGARD-90SW	SIKAGARD-703W	SIKA PLASTERSTIK	SIKA LATEX	GROUTING	SIKAGROUT-212
Light damp-proofing in plastered areas	✓				Grout anchors in concrete	✓
Prevent algae and lichens growth on face bricks, concrete & roof tiles		✓			Grout, columns and machine foundations	✓
Prevent mould growth on surfaces	✓					
Surface hardener	✓					
Making facades, face brick, stone & asbestos cement water repellent		✓				
Bonding agent for cement, plasters and renders			✓			
Thin layer patching mortars				✓		
Tile fixing mortars				✓		
Concrete repair mortars				✓		


FLOORING	SIKA FLOOR GARAGE	RIGID BONDING	ANCHORFIX-S	SIKADUR-AP
Garage flooring	✓	Anchoring of threaded rods, bolts and rebars		
Workshops	✓	Bonding brick, concrete, wood, ceramics and metal	✓	✓



BUILDING TRUST

Sikalastic® - 560

Premium waterproofing solution



Economical and eco-friendly liquid applied roof waterproofing solution based on Sika Co-Elastic Technology (CET)

Uses

- Exposed waterproofing on roofs (non-walkable)
- External waterproofing under tiles (e.g. on balconies)
- Waterproofing of new roofs
- For refurbishment & for life cycle extension of old roofs, e.g. bitumen membranes & coatings
- As reflective coating to enhance energy efficiency by reducing cooling costs (in white colour)
- Roof detailing in combination with other roofing solutions
- Repairing work on roofs and walls

Advantages

- UV resistant and resistant to yellowing and weathering
- Highly elastic and crack-bridging
- Non-toxic and VOC compliant water based coating
- One component - ready to use
- Excellent adhesion on porous and non porous substrates
- Seamless waterproofing membrane

Colour

White and grey


Packaging

5ℓ and 20ℓ



Sika RainTite®

Acrylic waterproofing system



Forms a fully bonded, durable and flexible waterproofing system

Uses

- Flashings
- Sealing joints, laps and roofing screws
- Parapet walls

Advantages

- Flexible and durable
- Vapour permeable
- UV resistant
- Single component acrylic – easy to use
- Excellent adhesion

Colour

Grey, charcoal, terracotta, white, green, brown, red, burgundy and black

Packaging

1ℓ

5ℓ in kit formation,
membrane included



Sealoflex® Professional

Acrylic fibre reinforced waterproofer



Acrylic based, flexible waterproofing compound containing special fibre reinforcing

Uses

- Flat roofs
- Parapet walls
- Flashings (Concrete and tiled roofs)
- Overcoating existing roof waterproofing systems

Advantages

- Flexible and durable
- Good adhesion to most common, sound, roofing substrates
- Easy to use and acrylic
- Single component - ready to use
- No membrane needed

Colour

Grey, terracotta, charcoal and white

Packaging

5ℓ



Submersible waterproofer and bonding agent



Acrylic based emulsion which improves the water resistance and adhesion of Portland cement based composites

Uses

- Flowerboxes
- Ponds
- Shower floors and walls
- Balcony and veranda floors (under tiles)
- Retaining walls
- Also a bonding coat for:
 - Plaster
 - Render

Advantages

- Watertight
- Good abrasion resistance
- Ideal for permanently submerged situations
- Non-toxic
- UV stable

Colour

Off white



Packaging

1l, 5l and 25l



Sikalite®

Powdered waterproofing admixture for mortar



Powdered cementitious waterproofing admixture to prevent the movement of moisture

Uses

- Walls
- Facades
- Renders and plasters
- Floor toppings
- Jointing mortars

Advantages

- Easy to use – in a convenient powdered form
- Watertight, but vapour permeable
- Economical
- Chloride free

Colour

Powdered component - Beige

Packaging

1kg



Sika® BlackSeal Lastic

Rubberised bituminous waterproofing coating



Bitumen emulsion coating used in conjunction with a membrane or as a stand alone coating

Uses

- Waterproofing of flat roofs and water retaining structures, eg. ponds
- Flashing of roofs, gutters and parapet walls
- Sealing of fixings, lap joints and roof screws

Advantages

- Supplied ready to use
- Primerless system and non-sag
- Flexible at low temperature
- Crack-bridging properties
- Non-toxic
- Applied by brush, roller or trowel

Colour

Black

Packaging

5ℓ and 20ℓ



Sika® BlackSeal Brick

Polymer modified bitumen emulsion coating



One-part, solvent-free, flexible coating

Uses

- Waterproofing of all types of above and below ground brick structures to protect against the penetration of water or damp in a thin coating
- As a primer for bituminous coatings on concrete, mortar and brick structures (normally thinned with water)
- Waterproofing between double layer brick walls

Advantages

- Supplied ready to use
- Non-sag on vertical surfaces
- Remains flexible at low temperature
- Can be applied on dry and slightly damp surfaces
- Applied by brush, roller and airless spray

Colour

Brown-black

Packaging

20ℓ



Sika® BlackSeal Primer

Bitumen primer for bituminous coatings



One-part, solvent based, bitumen primer for thick layer bituminous coatings and membranes

Uses

- Surface consolidation of concrete, mortar and brick substrates
- Improves the adhesion of solvent-free bituminous coatings and membranes

Advantages

- Applied by brush, roller or airless spray
- Supplied ready to use
- Good penetrating ability into concrete and mortar substrates
- Quick drying

Colour

Black

Packaging

5ℓ and 20ℓ



Sika® BlackSeal Silvercoat

Aluminium bitumen coating



One part, solvent-based, aluminium pigmented bitumen coating

Uses

- Protective coating over BlackSeal Torch-on
- Protective coating for bitumen waterproofing systems exposed to UV

Advantages

- Applied by brush, roller or airless spray
- Supplied ready to use
- Solvent based
- Resistant against UV light
- Excellent reflective properties
- Quick drying time

Colour

Aluminium

Packaging

5ℓ and 20ℓ



Sika® BlackSeal Torch-on

Torch-on waterproofing membrane



Sheet waterproofing membrane based on APP modified, reinforced bitumen

Uses

- Waterproofing and damp-proofing of the exterior walls of basements and retaining walls
- Waterproofing on flat and exposed roofs and balconies

Advantages

- Resistant to ageing and weathering
- Good tensile strength and flexibility
- Easy to install with torch-on method
- Suitable as top layer for multi layer installations
- Good resistance to mechanical impact

Colour

Black

Packaging

Available in
1 metre width x 10 metre length rolls



Sikaflex® -11FC⁺

Elastic joint sealant and multipurpose adhesive



Polyurethane based sealant and adhesive for multipurpose use

Uses

- Joint sealant for vertical and horizontal joints
- Soundproofing of pipes between concrete and sheathing
- Bonding of window sills, thresholds, steps, skirting boards, base boards, crash protection boards, etc

Advantages

- Fast curing
- Bubble-free curing
- Flexible and elastic
- Excellent application properties
- High mechanical resistance
- Seals and bonds in one step
- Indoor and outdoor applications
- Very low emissions
- Solvent free and odourless

Colour

Grey, white, brown and black
Beige in 600ml sausage


Packaging

300ml and 600ml



Sikaflex® Crystal Clear

Transparent multipurpose sealant and adhesive



Highly flexible transparent sealant for vertical and horizontal connection joints

Uses

- Multipurpose adhesive suitable for most surfaces including metal, glass, concrete, plaster, plasterboard, wood surfaces, painted enamel, polyester and plastics
- Sealant for vertical and horizontal indoor connection joints between partition walls, for metal and wood constructions

Advantages

- 100% crystal clear / transparent
- Good workability
- Low shrinkage during cure
- Especially for home improvement sector
- Can be used on damp concrete
- Very good adhesion on many typical building materials

Colour

Clear


Packaging

290ml



Sikaflex® High Tack

High tack adhesive for universal bonding



High initial tack, suitable for bonding most of construction materials over different surfaces

Uses

- Suitable for bonding most of construction materials over different surfaces, even on damp concrete
- For bonding wood boards, mouldings, panel bonding, ceramic tiles, roof tiles, metal boxes, interior and exterior wall decorations and various accessories in bathroom, kitchen, workshops etc.
- It bonds materials such bricks, stones, ceramics, different metals, concrete, hard PVC, timber and much more

Advantages

- High initial tack, especially developed for vertical or overhead applications
- Easy to apply
- Water and weatherproof
- Elastic bonding - vibrations and shock absorbent
- Paintable
- Suitable for damp surfaces

Colour

White

Packaging

300ml



Sikaflex® Construction

Flexible sealant for concrete and masonry facades



1-part, moisture curing, elastic joint sealant suitable for movement and connection joints in facades.

Uses

- General purpose sealant for sealing joints in building construction such as movement and construction/isolation joints around windows and doors, facades, claddings etc. in concrete, brick, wood, metal and PVC sections and structures etc.

Advantages

- Very good weathering and ageing resistance
- Movement capability of ± 35 (ASTM C 719)
- Bubble-free curing
- Low stress to the substrate
- Easy to smooth and very good workability
- Good adhesion to many substrates
- Solvent free and odourless
- Very low emissions

Colour

Grey


Packaging

300ml and 600ml



Sika MaxTack®

Water-based high strength grab adhesive



One part, high strength, copolymer dispersion adhesive

Uses

- Ideal for many substrates: wood, mortar, concrete, fibre cement, substrates
- Polystyrene cornices
- Skirting boards
- Wood frames and many more other decorative substrates
- Interior and sheltered exterior use

Advantages

- Good workability
- Odourless
- Nail free fixing
- Interior and sheltered exterior use
- Over paintable by an emulsion waterborne paint

Colour


Invisible

Packaging

290ml



High expanding foam



Fixing and filling polyurethane foam

Uses

- Filling gaps and voids that occur around the home
- Blocking out dust, noise, drafts and vermin
- Installation of window and door frames
- Insulation of pipes

Advantages

- High expanding rate
- Easy application
- Fast hardening
- Easy to cut, sand and over paint
- Multi positioning dispenser
- Has excellent adhesion to most substrates
- Suitable for outside use

Colour

Light yellow

Packaging

500ml and 750ml



Sikasil® Pool

Silicone sealant for swimming pools and permanently wet areas



One part neutral curing silicone sealant

Uses

- Joints in and around swimming pools
- Areas under permanent water immersion and frequently wet areas such as shower rooms in sports halls or leisure facilities
- Between ceramics, tiles, concrete, glass, metals and other typical building substrates

Advantages

- Excellent UV and weathering resistance
- Extremely high resistance to fungal attack
- High chlorine resistance
- High tear resistance
- Non-corrosive
- High elasticity and flexibility

Colour


White

Packaging

300ml



Silicone sealant for sanitary applications



Elastic, acetoxy silicone sealant

Uses:

- For sanitary or other sealing applications
- For applications where fungi and mildew resistance is required, such as basins, showers, toilets, baths, etc

Advantages

- Long term resistance to mould growth
- Long term fungus and mildew resistance
- Excellent adhesion to a wide range of substances
- Excellent UV and weathering resistance
- High elasticity and flexibility

Colour

Clear, white, brown, grey and black


Packaging

300ml



Sikacryl®-S

Elasto-plastic, acrylic sealant



Multipurpose acrylic sealant

Uses

- For sealing of indoor connection joints with low movements on surfaces like: concrete, plaster, fibre cement, brick, plasterboards, aluminium, hard PVC and wood
- For interior and sheltered exterior crack filling
- Indoor connection joints, around windows, window sills, doors, pvc pipes, dry walls and ceiling, etc

Advantages

- Good adhesion to substrates such as wood, concrete, etc
- Low odour
- Good application properties
- High durability
- Movement capability of 10%

Colour

White


Packaging

300ml



Sika® MultiSeal-ZA

Bituminous sealing tape



Self-adhesive, bituminous sealing tape

Uses

- Sealing and repairing against water ingress and draughts in:
 - Roofs including sheet metal work
 - Building cracks
 - Bituminous felts and other types of roofing sheets

Advantages

- Very easy to apply
- Very economical
- Good adhesion to many substrates
- Weather-proof
- Self-adhesive
- UV-resistant
- Can be over-painted
- Can be applied at low temperatures

Colour

Upper side Aluminium foil

Lower side: Self-adhesive
bituminous tape

Packaging

50mm x 2.5m, 50mm x 10m,
75mm x 2.5m, 75mm x 10m,
100mm x 2.5m, 100mm x 10m,
150mm x 2.5m and 150mm x 10m



Sika® Scraper & Smoother

Strike, remove, smooth



Scraper and smoother for joint seals

Uses

- Seals around bathtubs, showers, sinks, etc.
- Joints around worktops, kitchen sinks, etc.
- Finishes joints - vertical or horizontal between floor and plinth, etc.

Colour

Red


Packaging

Scraper, smoother and 5 adjustable smoothing heads



SikaGrout®-212

High strength cementitious grout



Shrinkage compensated, free flowing cementitious mortar to fill voids

Uses

- As a fluid grout on concrete, stone, mortar, steel, iron, etc
- Grout bearings, machine foundations, columns, joints in precast construction etc
- Grout anchors in concrete
- Grout cavities, gaps and voids in concrete
- Post fixing

Advantages

- Easy to use
- Adjustable consistency
- Very good flow characteristics
- Rapid strength development
- High final strengths
- Non-corrosive

Colour

Grey


Packaging

25kg



Sika AnchorFix®-S

Anchoring adhesive



Fast-curing, two part polyester anchoring adhesive

Uses

Low to medium load anchoring adhesive for:

- Bolts and special fastening systems
- Threaded rods
- Rebars, reinforcing steel
- Concrete
- Hard natural stone and solid rock
- Hollow and solid masonry

Advantages

- Fast curing
- Non-sag, even overhead
- Low to medium load capacity
- Low wastage

Colour

Light grey

Packaging

300ml



Sikadur®-AP

All purpose epoxy adhesive paste



General purpose, two component, epoxy adhesive paste

Uses

- Bricks
- Concrete
- Wood
- Ceramics
- Metal

Advantages

- Easy to mix and apply
- Convenient 1 to 1 mixing ratio
- Excellent adhesion
- Can be applied to damp surfaces
- Ideal for vertical and overhead applications
- Can be smoothed off with water

Colour

Part A: White
Part B: Light brown
Mix: Beige

Packaging

250ml, 500ml, 1ℓ and 5ℓ kits



Sikadur®-32N

Wet to dry epoxy resin bonding agent



Solvent free, moisture insensitive, medium viscosity, structural epoxy bonding agent

Uses

- For bonding fresh concrete to an existing concrete or mortar substrate
- Suitable for vertical anchor bolt grouting

Advantages

- Easy to mix and apply
- Solvent-free
- Components different colours to ensure thorough mixing
- Excellent adhesion to concrete and other substrates
- Tensile strength far greater than concrete
- Can be applied to damp substrates

Colour

Part A: White

Part B: Grey

Mix: Light grey


Packaging

1ℓ and 5ℓ kits



Sikagard®-703 W

Water-repellent treatment for buildings



Water based, invisible, hydrophobic impregnation

Uses

- Making facades water repellent and protecting buildings against water ingress
- Can be applied on mortar, masonry, brick, stone, asbestos cement, etc

Advantages

- Improves the aesthetic and the life time of buildings
- Reduces the fungi and lichens growth
- Allows the substrate to breathe (vapour permeable)
- Does not modify the substrate aspect
- May be over coated with suitable paints and coatings

Colour

Whitish liquid

Packaging

5ℓ and 25ℓ



Sikagard®-905 W

Damp-proofer and surface hardener



Water based resin damp-proofing and hardening impregnation

Uses

- To prevent damp in plastered or rendered surfaces, brick or stone
- Saltpetre treatment
- Prevention of mould growth
- Surface hardener for weak and dusty substrates

Advantages

- Does not change the colour of the substrate
- Can be over-coated with paint or wall paper
- Very easy to apply
- UV resistant
- Clear after drying
- Low viscosity

Colour


Milky white

Packaging

5ℓ and 25ℓ



Water resistant bonding agent for mortar



High quality, synthetic polymer emulsion for adding to cement bonding slurries where good adhesion is required

Uses

- For adding to cement screeds and mortars to improve compressive and flexural strength
- Thin layer patching mortars
- Renders
- Floor screeds
- Tile fixing mortars
- Concrete repair mortars

Advantages

- Increases adhesion strengths
- Greater elasticity
- Excellent water resistance
- Increased abrasion resistance
- Non-toxic

Colour

Milky white


Packaging

5ℓ and 25ℓ



Sika® Plasterstik

Cement mortar bonding liquid



Co-polymer emulsion formulated to improve the adhesion of cement mortar to surfaces

Uses

- Bonding agent for cement plasters and renders
- Improves adhesion of cement mortar to surfaces

Advantages

- Easy to use
- Non-toxic
- Economical
- Water based

Colour

Milky white

Packaging

5ℓ and 25ℓ



Sikafloor® Garage

Protective epoxy floor coating for indoor use



Two part, water based, coloured, epoxy resin based coating

Uses

- For concrete, cement screeds, broadcast coatings and epoxy mortars
- Subjected to normal up to medium heavy mechanical and chemical loading
- For garages, workshops, production halls, warehouses, car park decks, etc

Advantages

- Long term floor protection
- Good chemical and mechanical resistance
- Water vapour permeable
- Solvent-free
- Odourless
- Easy application

Colour

Light grey and telegrey

Packaging

5ℓ kit



SikaCeram®-50 Ceramic

Ceramic tile adhesive



One-pack tile adhesive intended to lay absorbent tiles on absorbent substrate in residential and commercial use

Uses

- Absorbent ceramic tiles
- Can be used on indoor walls and floors, and outdoor floors including:
 - Residential environments
 - Commercial environments (foot traffic only)

Advantages

- Easy to use
- Excellent workability
- Excellent potlife
- Can be applied directly on cement screeds or concrete
- Non-toxic
- Suitable for indoor and outdoor applications

Colour

Grey

Packaging

20kg



SikaCeram®-200 Porcelain

Porcelain tile adhesive



Polymer modified, cement based, improved adhesive for ceramic and porcelain tiles

Uses

- Absorbent ceramic tiles
- Non-absorbent porcelain tiles
- Can be used on indoor walls and floors, and outdoor floors including:
 - Residential use
 - Commercial use
 - Gypsum and cement based substrates

Advantages

- No vertical slip, high slump resistance and grab
- Extended open time
- Suitable for all types of ceramic and porcelain tiles

Colour

Grey


Packaging

20kg



SikaFloor®-200 Level

Self levelling screed



Multipurpose, Very low emission cement based self levelling compound suitable for interior and exterior areas

Uses

- Filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, seamless resin floors, textile and elastic floor coverings for interior and exterior residential and non-industrial areas.

Advantages

- Self levelling
- Suitable for application on subfloor heating systems
- Layer thickness 3mm - 40mm
- Low tension
- Pumpable
- Exterior use when covered. Suitable for castor wheels loading according to EN 12529
- Suitable to build bonded screeds under ceramic tiles on cementitious substrates

Colour

Grey

Packaging

20kg



KNOW-HOW FROM SITE TO SHELF



No matter how big or small your projects are, trust Sika to deliver superior product performance. With a proud 100 year history of experience, Sika continues to work on incomparable construction projects such as the impressive Hoover Dam in the US, Frankfurt's new landmark the European Central Bank, New York's One World Trade Centre, and the iconic Sydney Harbor Bridge in Australia. A huge range of products for sealing, bonding, protecting and reinforcing reflect over a century of experience, gained on innumerable construction sites worldwide.

OUR EXPERIENCE - YOUR BENEFIT!

KwaZulu-Natal

Tel: +27 31 792 6500

Zululand

Tel: +27 35 797 3814

Eastern Cape

Tel: +27 41 453 2813

Namibia

Tel: +264 61 259 092

Western Cape

Tel: +27 21 555 0755

Gauteng

Tel: +27 11 573 4940

Bloemfontein

Tel: +27 51 430 0333

Botswana

Tel: + 267 72 894 779

Sika Customer Service:

Tel: 031 792 6500 | Fax: 031 700 1760

Email: headoffice@za.sika.com

Website: www.sika.co.za

BUILDING TRUST

