

BUILDING TRUST



WATERPROOFING
SPECIALISTS
for over
110 YEARS

COMPLETE SOLUTIONS FOR ALL YOUR BUILDING PROJECTS



CONTENTS

Waterproofing

Sikalastic®-560	6
Premium elastic waterproofing solution	
Sika RainTite® Kit	7
Acrylic waterproofing system	
Sealoflex® Professional	8
Acrylic fibre reinforced waterproofer	
Cemflex®	9
Submersible waterproofer and bonding agent	
Sikalite®	10
Powdered waterproofing admixture for mortar	
Sika® BlackSeal Lastic	11
Rubberised bitumen waterproofing coating	
Sika® BlackSeal Brick	12
Waterproof barrier coating	
Sika® BlackSeal Primer	13
Primer for bituminous coating	
Sika® BlackSeal Silvercoat	14
Aluminium bitumen coating	
SikaBit PRO P	15
Bituminous torch-on waterproofing membrane	

Sealing and Bonding

Sikaflex®-11 FC+	16
Elastic joint sealant and multipurpose adhesive	
Sikaflex®-112 Crystal Clear	17
Transparent adhesive and sealant	
Sikaflex®-113 Rapid Cure	18
Fast curing adhesive and sealant	
Sikabond®-115 Strong Fix	19
Interior decorative adhesive	
Sikaflex®-118 Extreme Grab	20
High grab adhesive	
Sikaflex® Construction	21
Flexible sealant for concrete and masonry facades	
Sika Boom®	22
High expanding foam	
Sikasil® Pool	23
Silicone sealant for swimming pools and permanently wet areas	
Sanisil®	24
Silicone sealant for sanitary applications	
Sikacryl® S	25
Acrylic sealant for painters	
Sika® Multiseal-ZA	26
Bituminous sealing tape	
Sika® Scraper & Smoother	27
Scraper and smoother for joint seals	

Grouting

SikaGrout®-212	28
High strength cementitious grout	

Please consult the most current local product data sheet prior to any use

Structural Strengthening

Sika AnchorFix® S	29
Anchoring adhesive	
Sikadur® AP	30
All-purpose epoxy adhesive paste	
Sikadur®-32 N	31
Wet to dry epoxy resin bonding agent	

Repair and Protection

Sikagard®-703 W	32
Rain and water repellent	
Sikagard®-905 W	33
Damp-proofing and surface hardener	
SikaLatex®	34
Water resistant bonding agent for mortar	
Sika® Plasterstik	35
Cement mortar bonding liquid	

Flooring

Sikafloor® Garage	36
Epoxy floor coating	
Sikafloor®-200 Level	37
Self-levelling screed	
Sikafloor®-01 Primer	38
Flooring primer for levelling compounds and tile adhesives	

Tiling

SikaCeram®-50 Ceramic	39
Ceramic tile adhesive	
SikaCeram®-200 Porcelain	40
Porcelain tile adhesive	
SikaCeram®-205 Medium	41
Quick setting tile adhesive	
SikaCeram® Clean Grout	42
Cementitious floor/wall tile grout	
SikaCeram® Primer ZA	43
Primer for tile adhesives and grouts	
SikaCeram® Improver	44
Additive for cementitious adhesives and grouts	

Everbuild Products

Stixall	45
Bath & Kitchen Sealant	45
Oil-Away	46
Wonder Wipes Spray	46
Salt-Away	47
Cemstrip	47
Evercryl Emergency Roof Repair	48
XL Fire Cement	48
Mammoth Powerful Grip Tape	49
Stick 2 Rapid Epoxy	49

VIEW OUR FULL RANGE OF DIY SOLUTIONS AT



Sika continues to make its mark in the world. Our products might not always be visible but the results they achieve are clear to see. Whether your job is large or small, you can always expect trustworthy solutions tailored to your needs and dedicated support of the local sales teams at every stage of your project.



PRODUCTS


Throughout the world, Sika is providing performant solutions to allow you to use only the best quality products around your home. Our products offer you a wide range of solutions, including waterproofing, sealing & bonding, flooring systems and so much more!



SOLUTIONS (WHERE TO USE)

Whether you are building your dream home from scratch or renovating to put your personal touches on, Sika has a wide range of products to assist with every step of the way.

WWW.SIKA.CO.ZA



STEP BY STEP DIY PROJECTS

Sika South Africa has got you covered with detailed step-by-step guides on how to complete every project correctly and efficiently the first time round!



'HOW TO' VIDEOS

Watch Sika's 'How to' videos to find out all the information you need to know on a wide range of products to complete all your DIY projects and small home renovations, making sure that you only have to do the job once!


BUILDING TRUST



Sikalastic®-560

Premium waterproofing solution

Economical and eco-friendly liquid applied roof waterproofing solution based on Sika Co-Elastic Technology (CET)



Uses

- For roof waterproofing solutions in both new construction and refurbishment projects
- For roofs with many details and complex geometry when accessibility is limited
- For cost efficient life cycle extension of failing roofs e.g. old bitumen membranes and coatings
- For a reflective coating to enhance energy efficiency by reducing cooling costs

Advantages

- UV resistant and resistant to yellowing and weathering
- Highly elastic and crack-bridging
- Non-toxic and VOC compliant water-based coating
- One component - ready-to-use
- Excellent adhesion on porous and non-porous substrates
- Seamless waterproofing membrane



Colour: White and grey

Packaging: 5 ℓ and 20 ℓ

To be used in conjunction with Sika® Reemat Premium Membrane
Membrane Pack size: 5m² and 15m²

Sika RainTite® Kit

Acrylic waterproofing system

Forms a fully bonded, durable and flexible waterproofing system



Uses

- Flashings
- Sealing joints, laps and roofing screws
- Parapet walls

Advantages

- Flexible and durable
- Vapour permeable
- UV resistant
- Single component acrylic – easy-to-use
- Excellent adhesion




Colour: Grey, charcoal, terracotta, white, green, brown, red, burgundy and black

Packaging: 1 ℓ and 5 ℓ in kit formation, membrane included

Sealoflex® Professional

Acrylic fibre reinforced waterproofer

Acrylic-based, flexible waterproofing compound containing special fibre reinforcing



Uses

- Flat roofs
- Parapet walls
- Flashings (concrete and tiled roofs)
- Overcoating existing roof waterproofing systems



Advantages

- Flexible and durable
- Good adhesion to most common, sound, roofing substrates
- Easy-to-use and acrylic
- Single component - ready-to-use
- No membrane needed




Colour: Grey, terracotta, charcoal and white

Packaging: 5 l

Cemflex®

Submersible waterproofer and bonding agent

Acrylic-based emulsion which improves the water resistance and adhesion of Portland cement-based composites



Uses

- Shower floors and walls
- Flowerboxes
- Ponds
- Balcony and veranda floors (under tiles)
- Retaining walls
- Also a bonding coat for:
 - Plaster
 - Render

Advantages

- Watertight
- Good abrasion resistance
- Ideal for permanently submerged situations
- Non-toxic
- UV stable




Colour: Off white

Packaging: 1 ℓ, 5 ℓ and 25 ℓ


Sikalite®

Powdered waterproofing admixture for mortar

Powdered cementitious waterproofing admixture to prevent the movement of moisture

**Uses**

- Walls
- Facades
- Renders and plasters
- Floor toppings
- Jointing mortars

**Advantages**

- Easy-to-use – in a convenient powdered form
- Watertight, but vapour permeable
- Economical
- Chloride free



Colour: Powdered component - Beige

Packaging: 1 kg

Sika® BlackSeal Lastic

Rubberised bitumen waterproofing coating

Bitumen emulsion coating used in conjunction with a membrane or as a stand-alone coating



Uses

- Waterproofing of flat roofs and water retaining structures, e.g. ponds
- Flashing of roofs, gutters and parapet walls
- Sealing of fixings, lap joints and roof screws



Advantages

- Supplied ready-to-use
- Primerless system and non-sag
- Flexible at low temperature
- Crack-bridging properties
- Non-toxic
- Applied by brush, roller or trowel




Colour: Black

Packaging: 5 l and 20 l

Sika® BlackSeal Brick

Waterproof barrier coating

One-part, solvent-free, flexible bitumen coating



Uses

- Waterproofing of all types of above and below ground brick structures to protect against the penetration of water or damp in a thin coating
- As a primer for bituminous coatings on concrete, mortar and brick structures (normally thinned with water)
- Waterproofing between double layer brick walls



Advantages

- Supplied ready-to-use
- Non-sag on vertical surfaces
- Remains flexible at low temperature
- Can be applied on dry and slightly damp surfaces
- Applied by brush, roller and airless spray



Colour: Brown-black

Packaging: 20 ℓ

Sika® BlackSeal Primer

Bitumen primer for bituminous coatings

One-part, solvent-based, bitumen primer for thick layer bituminous coatings and membranes




Uses

- Surface consolidation of concrete, mortar and brick substrates
- Improves the adhesion of solvent-free bituminous coatings and membranes

Advantages

- Applied by brush, roller or airless spray
- Supplied ready-to-use
- Good penetrating ability into concrete and mortar substrates
- Quick drying



Colour: Black

Packaging: 5 ℓ and 20 ℓ

Sika® BlackSeal Silvercoat

Aluminium bitumen coating

One-part, solvent-based, aluminium pigmented bitumen coating



Uses

- Protective coating over SikaBit® Torch-on
- Protective coating for bitumen waterproofing systems exposed to UV

Advantages

- Applied by brush, roller or airless spray
- Supplied ready-to-use
- Solvent-based
- Resistant against UV light
- Excellent reflective properties
- Quick drying time




Colour: Aluminium

Packaging: 5 ℓ and 20 ℓ

SikaBit® PRO P

Torch-on applied waterproofing membrane

Plastomeric modified bituminous waterproofing membrane



Uses

Waterproofing membrane for:

- Retaining walls and basements
- Flat roofs under protective layers or ballast
- Balconies and terraces under tiles
- Wet areas
- Underground car parks
- Raft slabs
- As a base sheet in a double layer roofing system
- Protection of various substrates in a wide range of applications

Advantages

- Good watertightness
- Good elongation and cold flexibility
- Good mechanical properties (tensile, tear, shear)



Colour: Black

Packaging: 3mm and 4mm rolls
1 m width x 10 m length rolls

Sikaflex® -11 FC+

Elastic joint sealant and multipurpose adhesive

Polyurethane-based sealant and adhesive for multipurpose use



Uses

- Joint sealant for vertical and horizontal joints
- Soundproofing of pipes between concrete and sheathing
- Bonding of window sills, thresholds, steps, skirting boards, base boards, crash protection boards, etc.



Advantages

- Movement capability of $\pm 35\%$
- Bonds well to defined substrates without surface pre-treatment
- Good mechanical and weathering resistance
- Very low emissions
- Adhesive-sealant with CE marking
- Seals and bonds in one step



Colour: Grey, white, brown and black. Beige in 600 ml sausage
Packaging: 300 ml and 600 ml

Sikaflex®-112 Crystal Clear

Transparent adhesive and sealant

Multipurpose transparent adhesive and sealant with good initial grab



Uses

- Transparent joint sealing
- Invisible bonding of decorative materials
- Bonding of hooks
- Bonding mosaic tiles to walls, exterior



Advantages

- Transparent
- Good initial grab
- Very low emissions
- Adhesive-sealant with CE marking




Colour: Clear

Packaging: 290 ml

Sikaflex® -113 Rapid Cure

Fast curing adhesive

Fast curing adhesive with very high initial grab which bonds most common construction substrates



Uses

- Bonding of metal fitting rods to metal claddings
- Bonding of isolation plates to a pipe
- Bonding of plastic parts to metal furniture
- Bonding of paper dispenser on glazed wall tiles

Advantages

- Fast curing
- Early handling after 20 min
- Compatible with with EPS/XP
- Adhesive-sealant with CE marking
- Very low emissions



Colour: White
Packaging: 290 ml

Sikabond®-115 Strong Fix

Interior decorative adhesive

Construction adhesive with high final strength which bonds most construction material substrates



Uses

- Bonding of stucco elements to interior walls and sealings
- Bonding of skirting boards
- Bonding of gypsum boards to wooden frames
- Bonding of interior windowsills
- Bonding of panels, terracotta tiles, anodized aluminium, hard PVC profiles, polystyrene mouldings and ceiling tiles



Advantages

- Best-in-class lap shear strength
- Fast build-up of strength
- Best-in-class adhesion
- High final strength
- Very low emissions



Colour: White

Packaging: 290 ml

Sikaflex® -118 Extreme Grab

High grab construction adhesive

Construction adhesive with very high initial grab which bonds most construction material substrates



Uses

- Bonding stone facing to pillars
- Bonding of bricks, windows and door sills, wood beams and heavy landscaping coverings
- Bonding of mirrors
- Bonding cupboards to walls
- Bonding flowerpots on wall
- Wide adhesion profile for concrete, masonry, most stones, ceramic, wood, metals, glass and mirrors

Advantages

- Very high initial grab
- Fixing of heavy objects without temporary fixation
- Good workability
- Very low emissions
- Adhesive-sealant with CE marking



Colour: White
Packaging: 290 ml

Sikaflex® Construction

Flexible sealant for concrete and masonry facades

Moisture curing, elastic joint sealant suitable for movement and connection joints



Uses

Sealing joints for:

- Facade elements
- Movement and connections
- Pre-cast elements
- Infill panels
- Cladding
- Curtain walling
- Interior and exterior use
- Sealing between a range of porous and non-porous substrates

Advantages

- Very good weathering and ageing resistance
- Movement capability of ± 35 (ASTM C 719)
- Good adhesion to many substrates
- Very low emissions




Colour: Grey and white

Packaging: 300 ml and 600 ml

Sika Boom® S

High expanding foam

Fixing and filling polyurethane foam




Uses

- Filling gaps and voids that occur around the home
- Blocking out dust, noise, drafts and vermin
- Installation of window and door frames
- Insulation of pipes



Advantages

- High expanding rate
- Easy application
- Fast hardening
- Easy to cut, sand and over paint
- Multi-positioning dispenser
- Has excellent adhesion to most substrates
- Suitable for outside use





Colour: Light yellow

Packaging: 750 ml

Sikasil® Pool

Silicone sealant for swimming pools and permanently wet areas

Neutral curing silicone sealant



Uses

- Joints in and around swimming pools
- Areas under permanent water immersion and frequently wet areas such as shower rooms in sports halls or leisure facilities
- Between ceramics, tiles, concrete, glass, metals and other typical building substrates

Advantages

- Excellent UV and weathering resistance
- Extremely high resistance to fungal attack
- High chlorine resistance
- High tear resistance
- Non-corrosive
- High elasticity and flexibility




Colour: White

Packaging: 300 ml

Sanisil®


Silicone sealant for sanitary applications

Elastic, non-sag, silicone sealant with long-term resistance to fungus and mildew



Uses

- For sanitary or other sealing applications
- For applications where fungi and mildew resistance is required, such as basins, showers, toilets, baths, etc.



Advantages

- Long-term resistance to mould growth
- Long-term fungus and mildew resistance
- Excellent adhesion to a wide range of substances
- Excellent UV and weathering resistance
- High elasticity and flexibility





Colour: Clear, white, brown, grey and black

Packaging: 300 ml

Sikacryl® S

Acrylic sealant for painters

Multipurpose acrylic sealant

**Uses**

Sealing joints for:

- Interior joints on many types of substrate with a limited amount of movement
- Connections around window and door frames
- Around wall and ceiling penetrations
- Crack filling: Internal and external cracks not exposed to permanent water immersion

Advantages

- Good adhesion to substrates such as wood, concrete, etc.
- Low odour
- Good application properties
- High durability
- Movement capability of $\pm 7.5\%$
- Over-paintable



Colour: White

Packaging: 300 ml

Sika® MultiSeal

Bituminous sealing tape


Self-adhesive, bituminous sealing tape



Uses


Sealing and repairing against water ingress and draughts in:

- Roofs including sheet metal work
- Building cracks
- Bituminous felts and other types of roofing sheets



Advantages

- Very easy to apply
- Very economical
- Good adhesion to many substrates
- Weather-proof
- Self-adhesive
- UV resistant
- Can be over-painted
- Can be applied at low temperatures



Colour: Upper side: Aluminium foil
Lower side: Self-adhesive bituminous tape

Packaging: 50 mm x 2.5 m, 75 mm x 2.5 m,
100 mm x 2.5 m, 150 mm x 2.5 m

Sika® Scraper & Smoother

Strike, remove, smooth

Scraper and smoother for joint seals




Uses

- Seals around bathtubs, showers, sinks, etc.
- Joints around worktops, kitchen sinks, etc.
- Finishes joints - vertical or horizontal between floor and plinth, etc.



Advantages

- Easy-to-use
- Adjustable smoothing heads





Colour: Red

Packaging: Scraper, smoother and 5 adjustable smoothing heads

SikaGrout®-212

High strength cementitious grout

Free flowing, low shrinkage expanding cementitious grout



Uses

- General purpose grouting
- Filling cavities, voids, gaps and recesses
- Post fixings
- Machine and base plates
- Dowling reinforcing bars
- Bedding joints in pre-cast concrete sections

Advantages

- Easy-to-use
- Adjustable consistency
- Very good flow characteristics
- Rapid strength development
- High final strengths
- Non-corrosive



Colour: Grey

Packaging: 25 kg

Sika AnchorFix® S

Anchoring adhesive


Fast-curing, two-part polyester anchoring adhesive



Uses

Low to medium load anchoring adhesive for:

- Bolts and special fastening systems
- Threaded rods
- Rebars, reinforcing steel
- Concrete
- Hard natural stone and solid rock
- Hollow and solid masonry



Advantages

- Fast-curing
- Non-sag, even overhead
- Low to medium load capacity
- Low wastage



Colour: Light grey
Packaging: 300 ml

Sikadur® AP

All-purpose epoxy adhesive paste

General purpose, two-component, epoxy adhesive paste




Uses

- Bricks
- Concrete
- Wood
- Ceramics
- Metal



Advantages

- Easy to mix and apply
- Convenient 1 to 1 mixing ratio
- Excellent adhesion
- Can be applied to damp surfaces
- Ideal for vertical and overhead applications
- Can be smoothed off with water




Colour: Part A: White, Part B: Light brown, Mix: Beige

Packaging: 250 ml, 500 ml, 1 l and 5 l kits

Sikadur®-32 N

Wet to dry epoxy resin bonding agent


Solvent-free, moisture tolerant, medium viscosity, structural epoxy bonding agent



Uses

As a structural bonding agent and adhesive for:

- Concrete elements (including bonding fresh to hardened concrete)
- Hard natural stone
- Ceramics, fibre-cement
- Mortar, Bricks, Masonry
- Steel, Iron, Aluminium
- Wood
- Polyester / fibre glass and epoxy resin materials
- Glass



Advantages

- Suitable for dry and damp concrete surfaces
- High Bond Strength
- Hardens without shrinkage
- No primer needed




Colour: Part A: White, Part B: Grey, Mix: Light grey

Packaging: 1 ℓ and 5 ℓ kits

Sikagard®-703 W


Rain and water repellent treatment for buildings

Ready for use emulsion, silane / siloxane combination based, water repellent impregnation



Uses

- For making facades water repellent and protecting building against water ingress
- Can be applied on mortar, masonry, brick, stone, asbestos cement



Advantages

- Strong water repellent capability
- Allows the substrate to breathe (vapour permeable)
- Treatment is usually invisible not changing the substrate aspect
- Due to the reduction of water absorption, it improves the resistance of facades to stain and dirt pick and helps the reduction of moss and lichen growth
- Can be over coated with suitable paints and coatings




Colour: Whitish liquid

Packaging: 5 l and 25 l

Sikagard®-905 W

Damp-proofer and surface hardener

Water-based resin damp-proofing and hardening impregnation



Uses

- Primer, waterproofer and sealer for plastered surfaces
- Surface hardener for weak and powdery substrates
- For prevention and treatment against mould, mildew and efflorescence
- Protection of stones and exposed bricks
- Can be used in indoor and outdoor environments
- Waterproofing rustic surface of marble and granite floors

Advantages

- Effective in protecting against damp
- Almost invisible when dry
- Can be painted or covered with wallpaper
- UV resistant





Colour: Milky white

Packaging: 5 l and 25 l

SikaLatex®

Water resistant bonding agent for mortar

High quality, synthetic polymer emulsion for adding to cement bonding slurries where good adhesion is required

**Uses**

- For adding to cement screeds and mortars to improve compressive and flexural strength
- Thin layer patching mortars
- Renders
- Floor screeds
- Tile fixing mortars
- Concrete repair mortars

Advantages

- Increases adhesion strengths
- Greater elasticity
- Excellent water resistance
- Increased abrasion resistance
- Non-toxic




Colour: Milky white

Packaging: 5 l and 25 l

Sika® Plasterstik

Cement mortar bonding liquid

Co-polymer emulsion formulated to improve the adhesion of cement mortar to surfaces




Uses

- Bonding agent for cement plasters and renders
- Improves adhesion of cement mortar to surfaces

Advantages

- Easy-to-use
- Non-toxic
- Economical
- Water-based



Colour: Milky white

Packaging: 5 l and 25 l

Sikafloor® Garage

Protective epoxy floor coating for indoor use

Two-part, water-based, coloured, epoxy resin based coating



Uses

- For concrete, cement screeds, broadcast coatings and epoxy mortars
- Subjected to normal up to medium heavy mechanical and chemical loading
- For garages, workshops, production halls, warehouses, car park decks, etc.



Advantages

- Long-term floor protection
- Good chemical and mechanical resistance
- Water vapour permeable
- Solvent-free
- Odourless
- Easy application




Colour: Light grey and telegrey

Packaging: 5 l kit

Sikafloor®-200 Level

Self-levelling screed

Multipurpose, very low emission cement-based self-levelling compound suitable for interior and exterior areas



Uses

- Filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, seamless resin floors, textile and elastic floor coverings for interior and exterior residential and non-industrial areas



Advantages

- Self-levelling
- Suitable for application on subfloor heating systems
- Layer thickness 3 mm - 40 mm
- Low tension
- Pumpable
- Exterior use when covered. Suitable for castor wheels loading according to EN 12529
- Suitable to build bonded screeds under ceramic tiles on cementitious substrates



Colour: Grey

Packaging: 20 kg

To be used in conjunction with Sikafloor®-01 Primer

Sikafloor®-01 Primer


Water-based flooring primer for levelling compounds and tile adhesives

Water-based, synthetic resin concentrate which is diluted with water and used to prime cementitious, wood and mastic asphalt floor substrates



Uses

- Reducing absorbency of substrate
- Improving adhesion on smooth and sound substrates
- Protecting the substrate against moisture from cementitious levelling compounds or tile adhesives



Advantages

- Low consumption/high coverage
- Short waiting times
- Reduces substrate dust
- Compatible with defined substrates
- Very low emissions
- Applied by brush, roller or spray




Colour: Blue liquid

Packaging: 1 kg and 10 kg

SikaCeram®-50 Ceramic

Ceramic tile adhesive

Tile adhesive intended to lay absorbent tiles on absorbent substrate in residential and commercial use




Uses

- Absorbent ceramic tiles
- Can be used on indoor walls and floors, and outdoor floors including:
 - Residential environments
 - Commercial environments (foot traffic only)



Advantages

- Easy-to-use
- Excellent workability
- Excellent potlife
- Can be applied directly on cement screeds or concrete
- Non-toxic
- Suitable for indoor and outdoor applications



Colour: Grey


Packaging: 20 kg

* Products only available in selected regions

SikaCeram®-200 Porcelain


Porcelain tile adhesive

Polymer modified, cement-based, improved adhesive for ceramic and porcelain tiles



Uses

- Absorbent ceramic tiles
- Non-absorbent porcelain tiles
- Can be used on indoor walls and floors, and outdoor floors including:
 - Residential use
 - Commercial use
 - Gypsum and cement-based substrates



Advantages

- No vertical slip, high slump resistance and grab
- Extended open time
- Suitable for all types of ceramic and porcelain tiles



Colour: Grey




Packaging: 20 kg

* Products only available in selected region

SikaCeram®-205 Medium

Quick setting tile adhesive

Polymer modified, cement-based, improved adhesive for medium sized ceramic tiles



Uses

- Bonding the following types of tiles: ceramic, earthenware, porcelain, stoneware, terrazzo and unglazed
- Bonding tiles for the following applications: balconies, heated floors (water systems), kitchens, overlaying existing indoor sound ceramic tiles, residential environments, terraces, wet areas, spot-gluing and insulating panels made of polystyrene, polyurethane foam, rock or glass wool

Advantages

- Layer thickness: 1-10 mm
- Normal setting
- No vertical slip
- High slump resistance and grab
- Extended open time



Colour: Grey

Packaging: 20 kg

* Products only available in selected regio

SikaCeram® CleanGrout

Cementitious floor/wall tile grout for joints 2-8 mm

Cementitious setting, floor / wall tile grout powder for use in joints from 2-8 mm in width.



Uses


Grouting the following tile types

- Ceramic
- Earthenware
- Glass mosaic
- Marble and other natural stones
- Grès porcelain



Grouting tiles for the following high performance and demanding applications:

- Swimming pools
- Heated floors
- Commercial / Industrial / Residential environments
- Facades



Advantages

- Floor and wall application
- Water repellent
- UV resistant
- Contains protection against mould, bacterial and fungal growth



Colour: White, light grey, dark grey and beige

Packaging: 2 kg and 5 kg

SikaCeram® Primer ZA

Primer for grout and tile adhesives

Latex-based liquid primer formulated for enhancing the bond of the tile adhesive to screeds and concrete floors



Uses

- Treating cement-based substrates where tile adhesives and grouts are to be applied
- Surface treatment for very absorbent cement screeds or plaster finishes prior to the application of cement-based adhesives and grouts



Advantages

- Improves bond to poor substrates
- Reduces absorbency
- Easy-to-use
- Excellent adhesion to cement-based surfaces
- Water-resistant properties
- Non-toxic
- Non-corrosive




Colour: White liquid
Packaging: 1 ℓ and 5 ℓ

SikaCeram® Improver

Grout and tile adhesive additive


A replacement for mixing water to improve the adhesion and elastic performance of non-polymer based cementitious adhesives and tiling grouts



Uses

SikaCeram® Improver blended with SikaCeram®-50 Ceramic can be applied to lay porcelain or any kind of ceramic tiles in the following applications:

- Medium and large sized tiles
- Absorbent ceramic tiles
- Non-absorbent porcelain tiles



Advantages

- High adhesion
- High elasticity



Colour: White liquid

Packaging: 1 ℓ and 5 ℓ

Stixall

The ultimate combined building adhesive and sealant, based on hybrid polymer technology with the most extreme power to both bond and seal virtually everything to anything in almost all conditions, even under water

Uses

- High quality nail replacement adhesive, even to damp surfaces
- Perimeter pointing around doors and windows, especially in mobile structures such as caravans and boats
- Bonding mirrors to most common substrates
- Automotive gap filling and sealing
- Jointing cladding panels

Benefits

- Incredible initial grab
- Can be applied to wet surfaces
- Totally waterproof & weatherproof
- Quick-curing
- Overpaintable
- Resistant to extreme temperature

Colour: Clear and white

Packaging: 80 ml



Bath & Kitchen Sealant

High quality, acrylic-based sealant for areas of high humidity around the kitchen and bathroom

Uses

- Sealing around kitchen worktops etc.
- Internal sealing around timber and metal window and door frames
- Internal sealing around PVCu window and door frames
- Sealing around baths, sanitary ware, basins and ceramics

Benefits

- Permanently flexible
- Adheres to most surfaces
- Mould-resistant
- Overpaintable

Colour: White

Size: 200 ml



Oil-Away

Quick and easy solution for removing oil, petrol, diesel and grease stains from driveways and garage floors

Uses

- Removing oil stains from driveways including concrete, stone, tarmac, block paving etc.
- General cleaner for paths, patios and driveways

Benefits

- Ready-to-use, no diluting required
- Available in a handy ready-to-use spray
- Water clean up

Colour: Clear

Size: 1 ℓ



Wonder Wipes Spray

The ideal solution for cleaning large surface areas. Also the perfect way to keep PVC door and window frames looking good as new

Uses

- Used to clean up wet and semi-cured paints, sealants, adhesives, bitumen's, polyurethanes, expanding foams, polyester fillers and epoxies from tools, surfaces and hands
- Easily remove oil, grease, petrol and inks, yet the powerful cleaning agents are still kind to hands. It contains lanolin to condition skin and prevent dryness and cracking

Benefits

- Contains a powerful anti-bacterial additive
- Cleans up paint, sealant, adhesive, bitumen, expanding foam, oil, grease & much more
- Ideal for all trades including builders, painters, joiners, window installers, etc.

Colour: Clear

Size: 1 ℓ



Salt-Away

Removes salt and unsightly white efflorescence from bricks, stone and concrete

Uses

- Removing efflorescence from most common mineral surface including brick, stone, render, pathways, patio areas etc.

Benefits

- Biodegradable safe formula
- Ready-to-use spray
- Water clean up
- Can be poured, sprayed or brushed on

Colour: Clear

Size: 1 ℓ



Cemstrip

A new type of cement, concrete and mortar stain remover that provides a more environmentally-friendly alternative to conventional hydrochloric acid-based cement removers

Uses

- Removes cement, mortar and concrete on most mineral surfaces such as paths, patios and walls
- Cleaning tools, cement mixers and other building equipment

Benefits

- Safer to use than conventional hydrochloric acid-based products
- Ready-to-use spray
- Water clean up

Colour: Green

Size: 1 ℓ



Everycryl Emergency Roof Repair

Instant waterproofing repair for all roofs, even in the wet

Uses

- General sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions - for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc
- Waterproofing guttering (plastic and metal), downpipes, gully's, flashings, upstands, vents and leadwork

Benefits

- May be applied in damp and wet conditions
- Formulated from lightfast acrylic polymers to withstand sunlight for longer periods than traditional bitumen
- Fibre-reinforced to bridge small cracks
- Primerless adhesion to most bituminous and non-porous surfaces

Colour: Translucent

Size: 310 ml



XL Fire Cement

A ready-mixed blend of thermo setting resins and temperature resistant inorganic fillers that cures when exposed to heat to give a seal that is resistant to temperatures up to 1250°C

Uses

- Fire bricks, fire grates, flue pipes, flue bricks
- Boilers
- Solid fuel burning stove
- Offers excellent adhesion to fire bricks, blockwork, stone and clayware, asbestos free

Benefits

- Easy-to-apply by trowel
- Temperature resistant up to 1250°C
- Suitable for domestic and industrial use
- Asbestos free

Colour: Buff

Size: 2 kg, 5 kg



Mammoth Powerful Grip Tape

A polyester fabric-reinforced double-sided tape with a powerful synthetic rubber/resin adhesive, designed to give an incredible immediate bond strength

Uses

- Bonds most materials to themselves or each other
- Suitable for ceramics, wood, glass, plastics, brickwork, PVC etc.
- Can be applied to both porous and non-porous surfaces

Benefits

- Weatherproof
- Strong initial bond strength
- Will stick to porous and non-porous surfaces

Colour: Clear

Size: 50 mm x 2.5 m, 25 mm x 2.5 m, 12 mm x 2.5 m



Stick2 Rapid Epoxy Tube Adhesive

Industrial strength, two-part, clear adhesive which sets hard in just 4 minutes

Uses

- Ideal for bonding metals, glass, wood, china, dry concrete, rubber, fabrics, crystal, jewellery/precious stones and various hard plastics

Benefits

- Industrial strength
- Sets hard in just 4 minutes
- Non-drip formula
- May be drilled, sanded, machined and painted once fully cured

Colour: Clear

Size: 2 x 12 ml tube



NOTES _____

NOTES

KNOW-HOW FROM SITE TO SHELF



Sika continues to make its mark all over the world. Our products might not always be visible but the results they achieve are clear to see. Whether your job is large or small, you can always expect trustworthy solutions tailored to your needs and dedicated support from the local sales teams at every stage of your project. Further, helping you successfully complete the job, Sika brings solid experience even closer to you, making products and systems conveniently available on the retail shelves throughout the world.

OUR EXPERIENCE - YOUR BENEFIT!

KwaZulu-Natal

Tel: +27 31 792 6500

Zululand

Tel: +27 35 797 3814

Eastern Cape

Tel: +27 41 453 2813

Namibia

Tel: +264 61 259 092

Western Cape

Tel: +27 21 555 0755

Gauteng

Tel: +27 11 573 4940

Bloemfontein

Tel: +27 51 430 0333

Botswana

Tel: + 267 31 12774

Sika Customer Service:

Tel: 031 792 6500 | Fax: 031 700 1760

Email: headoffice@za.sika.com

Website: www.sika.co.za

BUILDING TRUST

