

## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020
		Thine Bate TO.OE.E0E0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product	identifier
-----	---------	------------

Trade name

: Sika ViscoFlow<sup>®</sup>-44

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika South Africa (Pty) Ltd 9 Hocking Place Westmead 3608 Pinetown South Africa
Telephone	:	+27 (0)31 792 6500
Telefax	:	+27 (0)31 700 1760
E-mail address of person responsible for the SDS	:	headoffice@za.sika.com

#### **1.4 Emergency telephone number**

+27 82 490 9409

### **SECTION 2: Hazards identification**

Type of product : Mixture

#### 2.1 Classification of the substance or mixture

## Classification (SANS 10234)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling (SANS 10234)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention: P261	Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray.
		P272	Contaminated work clothing should not be allowed out of the workplace.
		P280	Wear protective gloves.



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0		Print Date 15.02.2020	
	<b>Response:</b> P333 + P313	If skin irritation or rae	sh occurs: Get medical	
	P362 + P364		ed clothing and wash it	
	<b>Disposal:</b> P501	Dispose of contents, ance with local regu	/container in accord- lation.	

Hazardous components which must be listed on the label:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(SANS 10234)	(% w/w)
	Registration number		
mixture of: 5-chloro-2-methyl-4-	55965-84-9	Acute Tox.3; H301	>= 0,0015 - <
isothiazolin-3-one [EC no. 247-500-7]		Acute Tox.2; H330	0,0025
and 2-methyl-2H-isothiazol-3-one	01-2120764691-48-	Acute Tox.2; H310	
[EC no. 220-239-6] (3:1) (C(M)IT/MIT	XXXX	Skin Corr.1C; H314	
(3:1))		Eye Dam.1; H318	
. ,,		Skin Sens.1A;	
		H317	
		Aquatic Acute1;	
		H400	
		Aquatic Chronic1;	
		H410	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

: Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.



## Sika ViscoFlow<sup>®</sup>-44

1.
1.
on.
n effects
diox- for
101
aratus.



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020
SECTION 6: Accidental relea	se measures	
6.1 Personal precautions, prote	ective equipment and emergency p	rocedures
Personal precautions	: Use personal protective equipr Deny access to unprotected pe	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water	or sanitary sewer system.
6.3 Methods and material for co	ontainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent m acid binder, universal binder, s Keep in suitable, closed contai	awdust).
6.4 Reference to other sections		
For personal protection see	section 8.	

### 7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (	Conditions for safe storage, ir	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord-



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020
	ance with local regulations.	
Other data	: No decomposition if stored and a	pplied as directed.
7.3 Specific end use(s) Specific use(s)	: Consult most current local Produ use.	ct Data Sheet prior to any

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

Personal protective equipment				
Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.				
Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.				
:				



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

	Appearance	:	liquid
	Colour	:	light yellow
	Odour	:	slight
	Odour Threshold	:	No data available
	Flash point	:	does not flash
	Autoignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Lower explosion limit (Vol-%)	:	No data available
	Upper explosion limit (Vol-%)	:	No data available
	Flammability	:	No data available
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	рН	:	ca. 5,0 at 25 °C
	Melting point/range / Freez-	:	No data available
	ing point Boiling point/boiling range	:	No data available
	Vapour pressure	:	23 hPa
	Density	:	ca.1,06 g/cm3 at 25 °C
	Water solubility	:	No data available
	Partition coefficient: n- octanol/water	:	No data available
	Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	not determined
	Relative vapour density	:	No data available
	Evaporation rate	:	No data available
-			



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020

## 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

: No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### **STOT - single exposure** Not classified based on available information.

#### **STOT - repeated exposure** Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1) (C(M:

M-Factor (Short-term (acute) : 100 aquatic hazard)

M-Factor (Long-term (chron- : 100 ic) aquatic hazard)

#### 12.2 Persistence and degradability

No data available

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

#### Product:



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020
Additional ecological infor- mation	: There is no data available for t	his product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

No data available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the mar the market and use of certain dar preparations and articles (Annex	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
International Chemical Weapons Schedules of Toxic Chemicals an REACH - Candidate List of Subsi Concern for Authorisation (Article REACH - List of substances subj (Annex XIV) Regulation (EC) No 1005/2009 o plete the ozone layer Regulation (EC) No 850/2004 on lutants Regulation (EC) No 649/2012 of ment and the Council concerning	nd Precursors tances of Very High e 59). ect to authorisation n substances that de- persistent organic pol- the European Parlia-	: : : :	Not applicable None of the components are listed (=> 0.1 %). Not applicable Not applicable Not applicable Not applicable	
of dangerous chemicals REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea l/or gula	am suppliers, and/or ition, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control or major-accident hazards involving dangerous substances.				
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01 %	

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,01 %, 0,47 g/l VOC content excluding water

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020 Version 2.0

Print Date 15.02.2020

## **SECTION 16: Other information**

# Full text of H-Statements

Full text of H-Statements	
H301	: Toxic if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
-	
Full text of other abbreviatio	ns
Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eve Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
ADR	: European Agreement concerning the International Carriage of
, lett	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Half maximal effective concentration
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
1.0.50	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative
Classification of the mixture	Classification procedure:
Skin Sens. 1	H317 Calculation method
II	



## Sika ViscoFlow<sup>®</sup>-44

Revision Date 15.02.2020	Version 2.0	Print Date 15.02.2020

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

ZA / EN